AUTHOR AND SUBJECT INDEX

Author Index, Vol. 27, 1998, *J. Environ. Qual.*

Aalderink, R.H., 243
Abbink Spaink, A.P., 243
Accinelli, C., 1459
Adams, J.A., 1551
Adani, F., 794
Adarve, M.J., 1286
Ahuja, L.R., 505
Ajwa, H.A., 1218
Al-Assi, A.A., 220
Alberts, E.E., 999
Alva, A.K., 904
Amador, J.A., 895, 1234
Amatya, D.M., 923
Amistadi, M.K., 1334
Anderson, D.L., 243
Anderson, I.C., 1117
Anderson, M.A., 38
Andrews, J.A., 192
Angle, J.S., 1071
Aparicio-Tejo, P.M., 980
Ashbaugh, L., 946, 960
Audet, D.J., 1533

Bainbridge, D., 960
Bair, E.S., 1200
Baker, J.L., 910
Ball, J.T., 414
Banks, M.K., 169, 220
Bañuelos, G.S., 1218
Barbarick, K.A., 789, 801
Baron, D., 844
Barriuso, E., 1348
Barten, P.K., 935
Bates, H.K., 174, 183
Bauch, N.J., 640
Baziramakenga, R., 557
Beauchemin, S., 721
Becker, J.O., 408
Beltrami, P., 828
Ben-Hur, M., 1194
Benton, M.W., 199
Bernard, C., 1178
Berti, W.R., 1280
Best, K.B., 124
Beyer, W.N., 1533
Binet, P., 402
Blank, R.R., 755
Boeckx, P., 679
Boers, P.C.M., 4
Boettinger, J.L., 656
Bogus, E.R., 1334
Boll, J., 1410
Booysen, J., 1479
Borisover, M.D., 312
Bouma, J., 742
Bowerman, A.G., 625
Boyd, S.A., 806
Boyle, J.J., 704
Braun, D.C., 293
Braun, L.C., 1125
Breeuwsma, A., 4
Bremer, D.J., 1539
Briggs, J.A., 814
Bristow, P.R., 543, 551
Brobst, R.B., 789
Brooks, E.S., 1410
Brown, K.D., 1318
Brown, S.L., 1071
Bundrick, C.M., 859
Burger, J.A., 192
Burns, R.G., 1464, 1472
Businelli, M., 364
Butkus, M.A., 1055

Cabrera, M.L., 1125, 1246
Cadrin, F., 698
Cambardella, C., 767
Campbell, J.K., 1533
Campbell, R., 946, 960, 1209
Campbell, R.G., 923
Cassel, D.K., 669
Cassell, E.A., 293
Celis, R., 1348
Centner, T.J., 736
Cessna, A.J., 124
Chan, A.S.K., 232
Chaney, R.L., 1071
Chang, A.C., 329
Chappelka, A.H., 953
Chefetz, B., 794
Chen, M., 1294
Chen, Y., 794
Chen, Z., 169
Chendorain, M., 1451
Cheng, H.H., 75, 247
Christie, P., 335
Ciesielski, H., 584
Clegg, B.S., 877
Cluis, D., 721
Clyde, J.R., 64
Cogger, C.G., 543, 551
Cohen, Y., 973
Comfort, S.D., 572, 1240
Concezzi, L., 364
Conte, P., 1324
Cooper, A.B., 459
Cornish, J.E., 165
Correll, D.L., 261
Coyne, M.S., 86, 1516
Crowley, D., 408

Daniel, T.C., 92, 251
David, M.B., 917
Davis, J.H, 225
de Jonge, H., 1495
de Jonge, L.W., 1495
Desai, M.V.M., 1034, 1044
De Sousa Correia, R.I., 1479
Detay, M., 1418
De Visscher, A., 679
Diaz-Diaz, R., 562
Dinelli, G., 1459
Dinn, N.E., 528
Dolan, M.S., 1312
Donald, W.W., 999
Doran, J.W., 1094, 1105
Dorioz, J.M., 293
Douglas, C.L., Jr., 1170
Doussan, C., 1418
Dowdy, R.H., 1312
Drijber, R.A., 1094, 1105
Drost, D.T., 656
Dungan, R.S., 1301
Durnford, D.S., 495

Ebbert, J.C., 372
Ebbs, S.D., 165, 1486
Echevarria, G., 1064
Edwards, D.R., 92
Eigenberg, R.A., 215, 1511
El-Swaify, S.A., 132
Ellerbroek, D.A., 495
Elliott, J.A., 124
Elliot, L.F., 225
Ernst, F.F., 432
Ernstsen, V., 761
Ertl, D.S., 299
Evans, R.D., 1087
Evans, S.D., 1396, 1403

Fadeev, V.V., 1356
Faircloth, W., 669
Fales, S.L., 390
Fan, M.X., 698
Farber, R., 1209
Farber, R.J., 946, 960
Fardeau, J.C., 1064
Farmer, W.J., 1194
Felding, G., 1183
Fendorf, S.E., 318
Fenelon, J.M., 884
Feng, J., 968
Filby, R.H., 851
Filius, A., 12
First, P.R., 776
Fish, E.B., 67
Fisher, M.M., 1428
Fisher, L.J., 528
Flemer, D.A., 859
Flühler, H., 515
Folmar, G.J., 992
Fortin, J., 38
Fox, R.H., 390, 1027, 1376
Frankenberger, W.T., Jr., 750, 836, 1301
Fraser, R.H., 935
Frick, A., 1158
Fuhrmann, M., 165
Fuller, M.E., 54
Furrer, G., 18

Gächter, R., 515
Gale, P.M., 438
Gañ, J., 408, 432, 991
Garcia-Hernandez, J.E., 562
Garretson, C., 488
Garty, J., 973
Gates, W.P., 761
Gburek, W.J., 267, 992, 1550
Genevini, P., 794
Gentry, L.E., 917
Getzin, L.W., 543, 551
Gibbs, M.M., 459
Gil, A., 1286
Gilliam, J.W., 669, 923
Gilmour, J.T., 92
Ginster, M., 1479
Ginting, D., 1396, 1403
Giusquiani, P.L., 364
Gold, A.J., 146, 156
Görres, J.H., 895
Gowthaman, S., 715
Graber, E.R., 312
Graetz, D.A., 522
Graham, W.D., 904
Grantz, D.A., 946, 960, 1209
Grasso, D., 1055
Gregorich, E.G., 209
Griffin, K.L., 414
Griffith, S.M., 225
Groffman, P.M., 146, 156
Grove, J.H., 1516
Guertal, E.A., 1125
Gupta, S.C., 75, 247, 1396, 1403
Gupta, S.KI., 18

Hadar, Y., 794
Hall, F.R., 730
Hall, J.K., 1334
Ham, J.M., 1539
Hammel, J.E., 1254
Hanratty, M.P., 1524
Hansen, H.C.B., 139, 1130
Hansen, S., 139
Hartwig, N.L., 1334
Hatfield, J.L., 246
Headley, J.V., 1356
Heathman, G.C., 505
Hegeman, P., 789
Heinemeyer, O., 1094
Hering, J.G., 844
Herman, D.C., 750
Hernández, A.J., 1286
Herrmann, R.B., 1382
Hes, M.B., 1410
Hesterberg, D., 669
Heyes, A., 591
Hickey, M.G., 67
Hickman, M.V., 1334
Hjelmfelt, A.T., Jr., 999
Hoffman, L.D., 1334
Hoffmann, J.P., 293
Hoitink, H.A.J., 246
Hoover, S., 633
Horton, R., 910
Horwath, W.R., 225
Houot, S., 1348
Hsieh, Y.P., 968
Huang, Y-L., 343
Hundal, L.S., 572
Hussey, J.R., 100
Hutchings, J.J., 1254
Hutchinson, T.C., 1087
Hyun, H-N., 329

Ippolito, J.A., 801
Iwashchenko, M.S., 31

Jabro, J.D., 390, 1376
Jacinthe, P.-A., 146, 156
Jacobs, L.W., 1280
Jacobsen, O.H., 1183, 1495
Janssen, B.H., 1261
Jensen, M.B., 139, 1130

AUTHOR AND SUBJECT INDEX

Author Index, Vol. 27, 1998, *J. Environ. Qual.*

Aalderink, R.H., 243
Abbink Spaink, A.P., 243
Accinelli, C., 1459
Adams, J.A., 1551
Adani, F., 794
Adarve, M.J., 1286
Ahuja, L.R., 505
Ajwa, H.A., 1218
Al-Assi, A.A., 220
Alberts, E.E., 999
Alva, A.K., 904
Amador, J.A., 895, 1234
Amatya, D.M., 923
Amistadi, M.K., 1334
Anderson, D.L., 243
Anderson, I.C., 1117
Anderson, M.A., 38
Andrews, J.A., 192
Angle, J.S., 1071
Aparicio-Tejo, P.M., 980
Ashbaugh, L., 946, 960
Audet, D.J., 1533

Bainbridge, D., 960
Bair, E.S., 1200
Baker, J.L., 910
Ball, J.T., 414
Banks, M.K., 169, 220
Bañuelos, G.S., 1218
Barbarick, K.A., 789, 801
Baron, D., 844
Barriuso, E., 1348
Barten, P.K., 935
Bates, H.K., 174, 183
Bauch, N.J., 640
Baziramakenga, R., 557
Beauchemin, S., 721
Becker, J.O., 408
Beltrami, P., 828
Ben-Hur, M., 1194
Benton, M.W., 199
Bernard, C., 1178
Berti, W.R., 1280
Best, K.B., 124
Beyer, W.N., 1533
Binet, P., 402
Blank, R.R., 755
Boeckx, P., 679
Boers, P.C.M., 4
Boettinger, J.L., 656
Bogus, E.R., 1334
Boll, J., 1410
Booysen, J., 1479
Borisover, M.D., 312
Bouma, J., 742
Bowerman, A.G., 625
Boyd, S.A., 806
Boyle, J.J., 704
Braun, D.C., 293
Braun, L.C., 1125
Breeuwsma, A., 4
Bremer, D.J., 1539
Briggs, J.A., 814
Bristow, P.R., 543, 551
Brobst, R.B., 789
Brooks, E.S., 1410
Brown, K.D., 1318
Brown, S.L., 1071
Bundrick, C.M., 859
Burger, J.A., 192
Burns, R.G., 1464, 1472
Businelli, M., 364
Butkus, M.A., 1055

Cabrera, M.L., 1125, 1246
Cadrin, F., 698
Cambardella, C., 767
Campbell, J.K., 1533
Campbell, R., 946, 960, 1209
Campbell, R.G., 923
Cassel, D.K., 669
Cassell, E.A., 293
Celis, R., 1348
Centner, T.J., 736
Cessna, A.J., 124
Chan, A.S.K., 232
Chaney, R.L., 1071
Chang, A.C., 329
Chappelka, A.H., 953
Chefetz, B., 794
Chen, M., 1294
Chen, Y., 794
Chen, Z., 169
Chendorain, M., 1451
Cheng, H.H., 75, 247
Christie, P., 335
Ciesielski, H., 584
Clegg, B.S., 877
Cluis, D., 721
Clyde, J.R., 64
Cogger, C.G., 543, 551
Cohen, Y., 973
Comfort, S.D., 572, 1240
Concezzi, L., 364
Conte, P., 1324
Cooper, A.B., 459
Cornish, J.E., 165
Correll, D.L., 261
Coyne, M.S., 86, 1516
Crowley, D., 408

Daniel, T.C., 92, 251
David, M.B., 917
Davis, J.H, 225
de Jonge, H., 1495
de Jonge, L.W., 1495
Desai, M.V.M., 1034, 1044
De Sousa Correia, R.I., 1479
Detay, M., 1418
De Visscher, A., 679
Diaz-Diaz, R., 562
Dinelli, G., 1459
Dinn, N.E., 528
Dolan, M.S., 1312
Donald, W.W., 999
Doran, J.W., 1094, 1105
Dorioz, J.M., 293
Douglas, C.L., Jr., 1170
Doussan, C., 1418
Dowdy, R.H., 1312
Drijber, R.A., 1094, 1105
Drost, D.T., 656
Dungan, R.S., 1301
Durnford, D.S., 495

Ebbert, J.C., 372
Ebbs, S.D., 165, 1486
Echevarria, G., 1064
Edwards, D.R., 92
Eigenberg, R.A., 215, 1511
El-Swaify, S.A., 132
Ellerbroek, D.A., 495
Elliott, J.A., 124
Elliot, L.F., 225
Ernst, F.F., 432
Ernstsen, V., 761
Ertl, D.S., 299
Evans, R.D., 1087
Evans, S.D., 1396, 1403

Fadeev, V.V., 1356
Faircloth, W., 669
Fales, S.L., 390
Fan, M.X., 698
Farber, R., 1209
Farber, R.J., 946, 960
Fardeau, J.C., 1064
Farmer, W.J., 1194
Felding, G., 1183
Fendorf, S.E., 318
Fenelon, J.M., 884
Feng, J., 968
Filby, R.H., 851
Filius, A., 12
First, P.R., 776
Fish, E.B., 67
Fisher, M.M., 1428
Fisher, L.J., 528
Flemer, D.A., 859
Flühler, H., 515
Folmar, G.J., 992
Fortin, J., 38
Fox, R.H., 390, 1027, 1376
Frankenberger, W.T., Jr., 750, 836, 1301
Fraser, R.H., 935
Frick, A., 1158
Fuhrmann, M., 165
Fuller, M.E., 54
Furrer, G., 18

Gächter, R., 515
Gale, P.M., 438
Gañ, J., 408, 432, 991
Garcia-Hernandez, J.E., 562
Garretson, C., 488
Garty, J., 973
Gates, W.P., 761
Gburek, W.J., 267, 992, 1550
Genevini, P., 794
Gentry, L.E., 917
Getzin, L.W., 543, 551
Gibbs, M.M., 459
Gil, A., 1286
Gilliam, J.W., 669, 923
Gilmour, J.T., 92
Ginster, M., 1479
Ginting, D., 1396, 1403
Giusquiani, P.L., 364
Gold, A.J., 146, 156
Görres, J.H., 895
Gowthaman, S., 715
Graber, E.R., 312
Graetz, D.A., 522
Graham, W.D., 904
Grantz, D.A., 946, 960, 1209
Grasso, D., 1055
Gregorich, E.G., 209
Griffin, K.L., 414
Griffith, S.M., 225
Groffman, P.M., 146, 156
Grove, J.H., 1516
Guertal, E.A., 1125
Gupta, S.C., 75, 247, 1396, 1403
Gupta, S.KI., 18

Hadar, Y., 794
Hall, F.R., 730
Hall, J.K., 1334
Ham, J.M., 1539
Hammel, J.E., 1254
Hanratty, M.P., 1524
Hansen, H.C.B., 139, 1130
Hansen, S., 139
Hartwig, N.L., 1334
Hatfield, J.L., 246
Headley, J.V., 1356
Heathman, G.C., 505
Hegeman, P., 789
Heinemeyer, O., 1094
Hering, J.G., 844
Herman, D.C., 750
Hernández, A.J., 1286
Herrmann, R.B., 1382
Hes, M.B., 1410
Hesterberg, D., 669
Heyes, A., 591
Hickey, M.G., 67
Hickman, M.V., 1334
Hjelmfelt, A.T., Jr., 999
Hoffman, L.D., 1334
Hoffmann, J.P., 293
Hoitink, H.A.J., 246
Hoover, S., 633
Horton, R., 910
Horwath, W.R., 225
Houot, S., 1348
Hsieh, Y.P., 968
Huang, Y-L., 343
Hundal, L.S., 572
Hussey, J.R., 100
Hutchings, J.J., 1254
Hutchinson, T.C., 1087
Hyun, H-N., 329

Ippolito, J.A., 801
Iwashchenko, M.S., 31

Jabro, J.D., 390, 1376
Jacinthe, P.-A., 146, 156
Jacobs, L.W., 1280
Jacobsen, O.H., 1183, 1495
Janssen, B.H., 1261
Jensen, M.B., 139, 1130

Joern, B.C., 277
Johnson, A., 481
Johnson, D.W., 414
Johnson, J.A., 1147
Johnson, J.E., 192
Johnson, M.G., 710
Johnson, J.C., Jr., 1504
Jones, G.A., 1334
Jørgensen, P.R., 139, 1130, 1183
Juang, K-W., 355
Jui, P.Y., 869, 877
Jury, W.A., 38, 821, 991

Kabala, Z.J., 1147
Kannangara, T., 528
Kanwar, R.S., 767
Kaspar, T.C., 910
Keener, H.M., 467
Kelly, J.J., 600, 609
Kelting, D.L., 192
Kennedy, A.C., 1228, 1275
Kessavalou, A., 1094, 1105
Khlobystov, V., 1356
Kim, B., 946, 960, 1209
Kim, J.S., 953
Kim, M.H., 372
King, F., 1550
King, K.A., 1170
Kirschtel, D., 293
Kloog, N., 973
Knapp, A.K., 1539
Kochian, L.V., 165, 1486
Korotova, L.G., 1356
Kort, R.L., 293
Korthals, R.L., 215
Kovacic, D.A., 917
Krebs, R., 18
Kreutzweiser, D.P., 1138

La Force, M.J., 318
Lal, R., 1552
Lambregts, R.M., 426
Lamsfus, C., 980
Lanyon, L.E., 1367
Lasa, B., 980
Lasat, M.M., 165
Latimore, M., Jr., 1246
Laverdière, M.R., 1178
Lebo, M.E., 923, 1382
Lebourg, A., 584
LeCaptain, L., 1533
Leclerc-Cessac, E., 1064
Ledoux, E., 1418
Lee, D-Y., 355
Lemunyon, J.L., 251
Lentz, R.D., 305
Lessard, R., 209
Letey, J., 1194
Leuenberger, J., 515
Leyval, C., 402
Li, G.C., 318
Li, Z., 240
Liang, B.C., 209
Lindsay, B.J., 534
Loague, K., 562
Loftis, J.C., 495
Logan, T.J., 534, 987, 1276
Lores, E.M., 859
Losi, M.E., 836
Lowrance, R., 1504
Lund, L.J., 1147
Luo, Y.M., 335
Lusby, F.E., 459
Lyon, D.J., 1094
Lyons, J.B., 895

Ma, L.Q., 1294
Mabit, L., 1178
Macalady, J.L., 54
Macchioni, A., 364
MacKenzie, A.F., 698
Magid, J., 139
Marcus, J.A., 755
Marion, G.M., 245
Marshall, S.B., 1125
Martin, G.E., 183
Masse, L., 869, 877
Matsumoto, M.R., 24
Mayland, H.F., 1218
McBride, A.D., 783
McBride, M.B., 578
McConnell, J., 119
McGuire, S., 209
McKellar, H.N., Jr., 100
McLaren, R.G., 348
McLatchey, G.P., 1268
McLaughlin, M.J., 426
McLendon, T., 1306
McMurry, S.W., 86
Meals, D.W., 293
Merrill, M.D., 1410
Meyer, M.C., 1306
Meyer, P.F., 710
Miller-Goodman, M.S., 953
Miller, W.W., 755
Moldrup, P., 1495
Moncrief, J.F., 75, 247, 1396, 1403
Montgomery, M., 543, 551
Moolenaar, S.W., 828
Moore, B.C., 851
Moore, R.C., 884
Moore, T.R., 591
Moore, P.A., Jr., 92, 1428
Moorman, T.B., 767
Moreau-Kervévan, C., 46
Morel, J.L., 1064
Morey, A.E., 1018
Morton, A., 156, 1533
Mosier, A.R., 1094, 1105
Motavalli, P.P., 119
Mouvet, C., 46
Mullen, M.D., 1125
Mumma, R.O., 1334

Naidu, R., 348
Nair, V.D., 522
Nelson, S.D., 1194
Newton, G.L., 1504
Nicholaichuk, W., 124
Nielsen, N.E., 139, 1130
Nienaber, J.A., 215, 1511
Nkedi-Kizza, P., 1318
Norton, J.M., 656
Norvell, W.A., 1486

O'Connor, G.A., 438
Ohno, T., 776
Olness, A., 986
Osiensky, J.L., 1254
Owens, K., 633
Owens, L.B., 1551
Owensby, C.E., 1539

Paci, M., 1324
Padmore, J.M., 1018
Page, A.L., 329
Pang, X.P., 75
Paramasivam, S., 904
Parker, D.R., 329
Parkes, M.E., 783
Parkin, T.B., 232
Parry, R., 258
Parsons, J.E., 669
Paschke, M.W., 1306
Pastor, J., 1286
Patni, N.K., 869, 877
Paul, J.W., 528
Pavlov, D.F., 1356
Perfect, E., 86
Perrin, T.S., 656
Pezzolesi, T.P., 67
Phillips, P.J., 381
Piccolo, A., 1324
Pichtel, J., 618
Pierce, B.L., 789
Pinney, D.A.K., 935
Pionke, H.B., 111
Plante, A.F., 395
Porta-Casanellas, J., 687
Poth, M.A., 1117
Price, D., 1306
Proix, N., 584
Prueger, J.H., 232
Przepiora, A., 669
Puffer, R.H., 146

Quemada, M., 980
Quinn, N.W.T., 64

Raboy, V., 299
Radcliffe, D.E., 1246
Raijmakers, W.M.F., 1261
Reddy, K.R., 438, 522, 1268, 1428
Redente, E.F., 625, 789
Reed, B.E., 24
Refsgaard, J.C., 1183
Ressler, D.E., 910
Richardson, C.J., 1439
Richter, J., 12
Riley, M.B., 814
Riva-Murray, K., 381
Robarts, R.D., 1356
Robbins, C.W., 305
Rochette, P., 209
Rooney, W.L., 169
Rosen, C.J., 75, 247
Rosenzweig, R.F., 318
Roy, W.R., 984
Rudd, J.W.M., 591
Rudo, K.M., 1018
Rule, J.H., 31
Ryan, J.A., 1071

Salt, C.A., 618
Saporito, L.S., 1367
Savin, M.C., 1234
Schaumloffel, J.C., 851
Scheunert, I., 1324
Schipper, L., 664
Schnabel, R.R., 992
Schneider, G.M., 318
Schulin, R., 18
Schulthess, C.P., 1055
Schwab, A.P., 169, 220
Scott, C.A., 1410
Scow, K.M., 54
Sencindiver, J., 633
Sexton, B.T., 247
Shann, J.R., 704
Sharpley, A.N., 111, 251, 267, 984
Shaw, L.J., 1464, 1472
Shea, P.J., 572, 1240
Sheng, G., 806
Shepherd, J.A., 1138
Sheppard, S.C., 468, 985
Shreve, B.R., 92
Simard, R.R., 277, 557, 721
Sims, J.T., 277
Singh, J., 572, 1240
Skaggs, R.W., 923
Skousen, J., 633
Sloan, J.J., 1312
Smith, J., 348
Smith, P., 1552
Smolders, E., 426
Sojka, R.E., 305
Spahr, N.E., 640
Spalding, R.F., 174, 183
Spengler, M., 1034, 1044
Spliid, N.H., 1183
Springer, A.E., 1200
Stamm, C., 515
Stark, J.D., 543, 551
Staznik, B., 1138
Stefan, H.G., 1524
Stein, A., 1078
Steiner, J.J., 225
Sterckeman, T., 584
Stoddard, C.S., 1516
Stott, D.E., 1549
Stout, W.L., 111, 390, 992
Strain, B.R., 414
Streck, T., 12
Stucki, J.W., 761
Sukias, J.P.S., 448
Szeto, S.Y., 1158

Tambone, F., 794
Tang, H., 1009
Tanner, C.C., 448
Tate, R.L. III, 600, 609
Teira-Esmatges, M.R., 687
Terry, N., 715
Thomas, R.B., 414
Thompson, D.G., 1138
Thompson, K., 459
Thorne, M.E., 1228
Thorsen, M., 1183
Thurow, A.P., 481
Tiller, K.G., 348, 426
Timlin, D.J., 505
Tissue, D.T., 414
Tollefson, L.C., 124
Torbert, J.L., 192
Toth, J.D., 1027, 1376
Troiano, J., 488
Tufford, D.L., 100
Tuovinen, O.H., 467, 730

Upsdell, M.P., 448

Vaithiyanathan, P., 1439
Van Keuren, R.W., 731
Van Benschoten, J.E., 24
Van Beusichem, M.L., 1261
Vance, G.F., 466
Van Cleemput, O., 679, 687
VanCuren, T., 946, 960, 1209
Van der Molen, D.T., 4
van Dokkum, H.P., 243
van Groenigen, J.W., 1078
van Leerdam, M.E., 243
Van Rensburg, L., 1479
Vaughn, D.L., 946, 960, 1209
Velthof, G.L., 1261
Vermulst, C.J.W., 243

Vervoort, R.W., 1246
Vicari, A., 1459
Vietor, D., 481
Villegas, F., 1451
Vojvodić-Vuković, M., 664
Volovik, Y., 1356
Voroney, R.P., 395

Waalkens, A., 783
Wade, H.F., 1018
Walker, R.F., 414
Wall, G.R., 381
Wallschläger, D., 1034, 1044
Walter, M.F., 1410
Wan, Y., 132
Wang, D., 432, 821, 991
Wang, X., 806
Watmough, S.A., 1087
Watson, M.E., 986
Weaver, S.R., 992
Weed, D.A.J., 767
Wei, Y-L., 343
Wester, D.B., 199
Westfall, D.G., 801
Whitwell, T., 814
Wicherek, S., 1178
Wijnja, H., 1055
Wilken, R.-D., 1034, 1044
Williams, A.E., 1147
Williams, C.F., 1194
Williams, R.G., 1504
Wiltse, C.C., 169
Windmöller, C.C., 1044
Wood, B.H., 92
Wood, C.W., 1125
Wright, W.R., 146
Wu, S., 806
Wunderli, H., 515

Xue, Y., 917

Yan, W., 1009
Yates, M., 1451
Yates, S.R., 408, 432, 821, 991
Yin, C., 1009
York, A.C., 1018
Young, K.A., 299
Young, W.H., 24

Zamora, B.A., 1228
Zartman, R.E., 67
Zayed, A., 715
Zebarth, B.J., 1158
Zeldin, M., 1209
Zhulidov, A.V., 1356
Zhulidova, O.V., 1356
Zink, T., 960
Zuzel, J.F., 1170

Subject Index, Vol. 27, 1998, *J. Environ. Qual.*

Abandoned agricultural land, Mojave Desert
revegetation by seeding native plants, 1209
revegetation by transplanting native plants, 960
wind barriers to suppress fugitive dust and soil-derived airborne particles, 946
Acer saccharum Marsh. *See* Maple, sugar
Achnatherum hymenoides Roemer & Shultes. *See* Ricegrass, Indian
Acidification, solubilization of U from contaminated soil, 1486
Adjuvant effect, leaching of atrazine and metolachlor, 1334
Adsorption. *See* Sorption/adsorption
Aggregates, soil
changes with decomposition of oily food waste, 395
sediment enrichment mechanisms of organic C and P in Oxisol, 132
Agricultural chemicals
state disposal programs for unwanted pesticides, 736
transport to ground and surface water in central Indiana watershed, 884
Agricultural phosphorus
dynamics in ecosystem, modeling by mass balance and dynamic simulation approaches, 293
eutrophication and, 251, 261
hydrologic controls on P loss from upland watersheds, 267
P loss in agricultural drainage, 277
plant genetic approaches to management, 299
reducing P losses from surface-irrigated fields, polyacrylamide technology, 305
water quality and, 258
Agricultural region
dissolved P export from tile-drained watershed, 917
northern, simulating climate change effects in watershed, 1524
nutrient losses to surface water in the Netherlands, 4
Agricultural soil
abandoned land in Mojave Desert
revegetation by seeding native plants, 1209
revegetation by transplanting native plants, 960
wind barriers to suppress fugitive dust and soil-derived airborne particles, 946
shallow
alachlor dissipation, 767
fecal bacteria survival and infiltration, 1516
Agronomic performance, variability among alfalfa genotypes, 169
Agropyron smithii Rydb. *See* Wheatgrass, western
Agropyron spicatum (Pursch) Scribn. & Smith. *See* Wheatgrass, bluebunch
Air pollution. *See also* Emissions
airborne elements, cell membranes, and chlorophyll in transplanted lichens, 973
Airborne elements, transplanted lichens, 973
Airborne particles
mitigation by seeding native plants in abandoned desert farmland, 1209
soil-derived, wind barrier for suppression in arid region, 946
Airlift bioreactor, assessment of plant available nutrients in organic products, 1261
Alachlor
dissipation in shallow cropland soil, 767
natural-gradient transport in organic C-rich aquifer, 1200
Alfalfa
agronomic and crude oil-phytoremediation potential, 169
effect of corn-soybean-alfalfa rotation on nitrous oxide emission, 698
naphthalene adsorption onto roots, 220
nitrate losses from corn-alfalfa rotation, 1027
Aliphatic acids, low molecular weight, composted manures, 557
Alkali sacaton, biosolids effects in Chihuahuan desert grassland, 199
Alkaline stabilized sludge products
bioavailability of Cu and Zn in treated soils, 335
soluble trace metals, 578
Allium cepa L. *See* Onion
Allscale saltbush. *See* Saltbush, allscale
Alluvial soil, transport and persistence of pesticides
I. Simazine, 543
II. Carbofuran, 551
Alum, metal runoff from treated poultry litter, 92
Alumina, thermally treated Pb(III)-doped, extractive behavior of Pb in, 343
Aluminum, electrospray mass spectrometry of metal-EDTA complexes, 844
Amaranthus retroflexus L. *See* Pigweed, red root
American Association for the Advancement of Science, 150th anniversary, 477
American Society for Testing and Materials
standards on the Internet, 989
training courses, 477
Ammonia/ammonium
effect on methane oxidation and nitrous oxide formation in soils, 679
groundwater, fate in lake edge wetland, 459
losses from dairy manure, effect of protein content of cattle diet, 528
volatilization from biosolids, effect of dicyandiamide, 980
volatilization from tall fescue pastures fertilized with broiler litter, 1125
water quality effects of bank filtration, 1418
Ammonium-loaded clinoptilolite, decreasing N leaching from sandy soil, 656
Anas platyrhynchos L. *See* Mallard
Andropogon virginicus L. *See* Bluestem, broomsedge
Anion, leaching losses, reduction with localized soil compaction and doming, 910
Annual teff. *See* Teff, annual
Applied environmental research, realizing basic research in, 742
Aquatic environment

bed sediment sampler for depth profiling of contaminants, 64
triclopyr ester accumulation in leaf packs, 1138
Aquifer
denitrification interpreted from in situ microcosm experiments, 174
organic C-rich, natural-gradient transport of Br, atrazine, and alachlor, 1200
Arbuscular mycorrhizal plant, effect of polyaromatic hydrocarbons in soil, 402
Arsenic
fractionation and distribution in soils contaminated by cattle dip, 348
mobility from flooding and nutrient loading of Coeur d'Alene river sediments, 318
runoff from alum-treated poultry litter, 92
USEPA digestion methods for trace metal analysis, 1294
Arthur D. Little Environmental, Health, and Safety Training Institute, 1
Atrazine
adsorption and desorption by soil components, 46
distribution and variability across Goodwater Creek Watershed, MO, 999
groundwater quality under conventional and no tillage, 877
interactions with soil humic substances of different structure, 1324
leaching, formulation and adjuvant effects, 1334
natural-gradient transport in organic C-rich aquifer, 1200
sorption and desorption by sludge-amended soils, dissolved organic matter effects, 1348
transport to ground and surface water in central Indiana watershed, 884
Atriplex canescens (Pursh) Nutt. *See* Saltbush, fourwing
Atriplex polycarpa (Torrey) S. Watson. *See* Saltbush, allscale
Australia, As in soils contaminated with cattle dip, 348
Auxiliary variables, kriging methods for heavy-metal contaminated soils, 355
Aztec, library of equation solvers, 2

Bacteria
fecal, 86, 1516
genetically engineered, 1277
Banana, pesticides used in Canary Islands, leaching potentials, 562
Bank filtration
ammonium behavior, 1418
river, 1278
Barium, USEPA digestion methods for trace metal analysis, 1294
Barley, wall, B, Zn, Fe, and Mn in grassland species, 1286
Basic research, in applied environmental research projects, 742
Bean, tepary, ^{137}Cs accumulation in shoots, 165
Bed sediment sampler, depth profiling of contaminant concentrations in aquatic environments, 64
Bermudagrass, revegetation on coal fine ash disposal site in South Africa, 1479
Beryllium, USEPA digestion methods for trace metal analysis, 1294
Beta vulgaris L. *See* Swiss chard
Bioavailability
Cd in sludge-treated soils, effects of soil organic C, 329
Cd to lettuce in biosolids-amended soils, 1071
Cd to Swiss chard, effect of soil solution Cl, 426
Cu and Zn in soils treated with alkaline stabilized sewage sludges, 335
Ni in soils, 1064
nutrients in organic products, assessment using airlift bioreactor, 1261
trace metals, estimation from speciation in unbuffered salt solutions, 584
Biodegradation. *See* Degradation
Biogeochemical characteristics, Everglades slough, 1439
Biointrusion, protective barriers at hazardous waste sites, 625
BIOLOG, analysis of microbial communities in Zn-contaminated soils, 600
Biomass, shrubland forages after biosolids application, 789
Biopore mediated subsurface transport, dissolved orthophosphate, 1130
Biosolids. *See also* Sewage sludge
ammonia volatilization by addition of dicyandiamide, 980
applied to shrubland forages, plant biomass and elemental changes, 789
Cd availability to lettuce in amended soils, 1071
effect on tobosagrass and alkali sacaton in Chihuahuan desert, 199
land application, extractable trace elements after years of application, 801
recovery of heavy metals sixteen years after application, 1312
Blackberry, effect of O_3 on decomposition, 953
Bladderpod, transplanting to revegetate abandoned farmland in Mojave Desert, 960
Bluebunch wheatgrass. *See* Wheatgrass, bluebunch
Bluestem, broomsedge, effect of O_3 on decomposition, 953
Bog soil, mineralization of norflurazon during cranberry production, 1234
Book reviews
Agricultural Uses of By-Products and Wastes, 984
Agriculture and Environmental Changes: Temporal and Spatial Dimensions, 1549
Animal Waste Utilization: Effective Use of Manure as a Soil Resource, 1276
Biological Indicators of Soil Health, 1275
Bioremediation Protocols, 730
Climate Change and the Global Harvest, 1552
Contaminated Sediments in Ports and Waterways: Cleanup Strategies and Technologies, 467
Ecology and Economics of the Great Plains, 731
Environmental Contaminant Reference Databook, Volume III, 985
Environmental Electrochemistry: Fundamentals and Applications in Pollution Abatement, 1550
Environmental Science and Engineering: An Introduction, 987
Environmental Science and Technology, 1551
Experiments in Ecology: Their Logical Design and Interpretation Using Analysis of Variance, 246
Forestry Pesticide Aerial Spraying: Spray Droplet Generation, Dispersion and Deposition, 730
Geochemical Processes, Weathering and Groundwater Recharge in Catchments, 1551
The Geochemistry of Natural Waters: Surface and Groundwater Environments, Third Edition, 245
The Handbook of Trace Elements, 986
Hazardous Chemicals Desk Reference, Fourth Edition, 468
Humic Substances and Organic Matter in Soil and Water Environments: Characterization, Transformations and Interactions, 986
Hydrology and the Management of Watersheds, 1550
An Introduction to Environmental Chemistry, 466
Perspectives in Bioremediation: Technologies for Environmental Improvement, 467
Pesticide Profiles: Toxicity, Environmental Impacts, and Fate, 984
The Reuse and Recycling of Contaminated Soil, 1276
The Science of Composting, 246
Soil Quality: For Crop Production and Ecosystem Health, 1552
Bordeaux mixture, heavy metal balance in treated Italian soil, 828
Boron, content in grassland species, 1286
Bowen-ratio method, determination of methane flux from peatland surfaces, 232
Branta canadensis L. *See* Goose, Canada
Brassica juncea (L.) Czern. *See* Mustard, Indian
Brassica napus. *See* Canola
Brazil, fluxes of trace gases from cerrado soils, 1117
Broiler litter
ammonia volatilization from fertilized tall fescue, 1125
N and P losses from hayfields receiving fresh and composted litter, 1246
Brome, soft, B, Zn, Fe, and Mn in grassland species, 1286
Bromide tracer
natural-gradient transport in organic C-rich aquifer, 1200
preferential transport of tracer applied in pulse of ponded water, 505
Bromus hordaceus L. *See* Brome, soft
Broomsedge bluestem. *See* Bluestem, broomsedge
Bulk density, soft-bottom sediment cores, method for estimating, 243
Burrowing mammals, biointrusion of protective barriers at hazardous waste sites, 625

Cadmium
accumulation by wetland plants, 715
alkaline stabilized sludge products, 578

Cadmium *(cont.)*
availability to Swiss chard, effect of soil solution Cl, 426
biosolids-applied, recovery sixteen years after application, 1
distribution in sludge-amended soils, 1280
effect of sewage sludge and Bordeaux mixture in Italian soil, 828
electrospray mass spectrometry of metal-EDTA complexes, 844
extractable, soil after years of biosolids application, 801
phytoavailability to lettuce in biosolids-amended soils, 1071
ponderosa pine tree rings as historical monitors of pollution, 851
solubility and phytoavailability in sludge-treated soil, effects of soil organic C, 329
solubility and plant uptake in sludge-amended soils, liming effect, 18
sorption and desorption in limed topsoils, pH effect, 12
speciation in unbuffered salt solutions, 584
USEPA digestion methods for trace metal analysis, 1294
Calcareous soil, fate of pig sludge liquid fraction, 364
Calcium, runoff from alum-treated poultry litter, 92
Calcium sulfate, flocculant for sedimentation basins, 669
California, spatial and temporal variations in nitrate contamination of rural aquifer, 1147
Camera, minirhizotron, mechanical advancing handle that simplifies camera registration, 710
Canada goose. *See* Goose, Canada
Canajoharie Creek, NY, seasonal and spatial patterns of nitrate and silica concentrations, 381
Canal, bed sediment sampler for depth profiling of contaminants, 64
Canary Islands, leaching potentials of pesticides used for bananas, 562
Canola, Se uptake from soils amended with inorganic and organic materials, 1218
Carbaryl, sorption, degradation, and mineralization in soils, 1318
Carbofuran
leaching from banana silviculture in Canary Islands, 562
transport and persistence in alluvial soils, 551
Carbon
organic
effect on Cd solubility and phytoavailability in sludge-treated soil, 329
effect on sulfate reduction in wetland soils, 968
sediment enrichment mechanisms in Oxisol, 132
soluble, corn fields receiving spring-applied manure, 209
transport of Br, atrazine, and alachlor in aquifer, 1200
phenolic, Folin and Ciocalteu's method of soil analysis, 776
Carbon dioxide
effect on growth and N uptake in pine, 414
fluxes
after tillage and wetting in wheat-fallow cropping system, 1105
Brazilian cerrado soils, 1117
corn fields receiving spring-applied manure, 209
grass sod, 1094
wheat-fallow tillage management, 1094
Catalonia (Spain), nitrous oxide and molecular N fluxes from irrigated soils, 687
Cation exchange phenomena, effect on interaction between nitrous oxide formation and methane oxidation in soils, 679
Cationic surfactant, sorption of organic contaminants by modified smectitic soils, 806
Catskills Mountains, water quality, effects of changes in land use and dairy herds, 1410
Cattle dip, fractionation and distribution of As in contaminated soils, 348
Cattle excreta, nitrate leaching, soil-climate effects, 992
CD-ROM, U.S. Federal Register, 478
Cell membranes, transplanted lichens, 973
CERES-Maize model, nitrate leaching potential in glacial outwash soils, 75
Cerrado soils, fluxes of trace gases, 1117
Certified soil, USEPA digestion methods for trace metal analysis, 1294
Cesium
estimation of soil redistribution in French watershed from ^{137}Cs data, 1178
phytoremediation of ^{137}Cs-contaminated soil, accumulation of radiocesium in shoots of plants, 165
Chelating agent, solubilization of U from contaminated soil, 1486
Chemical flocculant, Ca sulfate for sedimentation basins, 669
Chemical Industry Environmental Technology Projects, evaluation of sludge cost reduction technologies, 478
Chemical works, vegetative growth and trace metal accumulation on metalliferous wastes, 618
Chihuahuan desert grassland, biosolids effects on tobosagrass and alkali sacaton, 199
China, nutrient retention by multipond systems, 1009
Chlor-alkali plant, Hg concentration in adjacent soils, 21
Chloride, soil solution, effect on Cd availability to Swiss chard, 426
Chlorophyll, transplanted lichens, 973
Chlorpyrifos, runoff water from containerized plant production, quantification and remediation, 814
Chromate, extraction from surfactant-modified zeolite surfaces, 240
Chromatography symposium, 989
Chromium
accumulation
wetland plants, 715
plants grown on metalliferous wastes, 618
biosolids-applied, recovery sixteen years after application, 1
distribution in sludge-amended soils, 1280
extractable, soil after years of biosolids application, 801
USEPA digestion methods for trace metal analysis, 1294
Chrysothamnus nauseosus (Pallas) Britton. *See* Rabbitbrush, rubber
Citric acid, solubilization of U from contaminated soil, 1486
Citrus production
N management practices for orange trees, 904
simazine in runoff water from row middles, effect of mechanical incorporation, 488
Citrus sinensis. *See* Orange tree
Clay
adsorption and desorption of atrazine, deethylatrazine, and hydroxyatrazine, 46
microbial reduction of structural Fe, 761
Climate change
climate warming 2000 years ago, 1278
simulating effects in Minnesota agricultural watershed, 1524
Climate effect, nitrate leaching from cattle excreta, 992
Clinoptilolite, ammonium-loaded, decreasing N leaching from sandy soil, 656
Clipping effect, soil respiration in tallgrass prairie, 1539
Clopyralid, leaching and preferential flow under irrigation, 124
Closed-chamber method, determination of methane flux from peatland surfaces, 232
Clover
clustered, B, Zn, Fe, and Mn in grassland species, 1286
cotton, B, Zn, Fe, and Mn in grassland species, 1286
Clustered clover. *See* Clover, clustered
Coal combustion by-products, reducing soil P solubility, 111
Coal fine ash disposal site, revegetation in South Africa, 1479
Coal fly ash, pulverized, reducing soil P solubility, 111
Coastal area, harvest impact on forest outflow in North Carolina, 1382
Coeur d'Alene River
Pb exposure of waterfowl ingesting sediments, 1533
trace element mobility from flooding and nutrient loading of sediments, 318
Compaction, soil, reduction of anion leaching losses, 910
Complexation, modeling P adsorption by water treatment residual, 1055
Composted manure, low molecular weight aliphatic acid contents, 557
Composted poultry litter, N and P losses from treated hayfields, 1246
Composting
Compost Truth or Consequences (video), 1278
municipal solid waste, humic-acid transformation during, 794
Constructed wetlands
fate and transport of viruses, 1451
gravel-bed, loading rates and pollutant removal during maturation, 448
treatment of metal-bearing leachate from ash management facility, 1
Containerized plant production, pesticides in runoff water, quantification and remediation, 814
Contaminant, bed sediment sampler for depth profiling in aquatic environments, 64
Continuous simulated annealing, constrained optimization of spatial sampling, 1078
Controlled drainage, effect on forest water quality, 923
Copper
accumulation
wetland plants, 715

plants grown on metalliferous wastes, 618
alkaline stabilized sludge products, 578
bioavailability in soils treated with alkaline stabilized sewage sludges, 335
biosolids-applied, recovery sixteen years after application, 1
distribution in sludge-amended soils, 1280
effect of sewage sludge and Bordeaux mixture in Italian soil, 828
electrospray mass spectrometry of metal-EDTA complexes, 844
elemental composition of shrubland forages after biosolids application, 789
extractable, soil after years of biosolids application, 801
runoff from alum-treated poultry litter, 92
solubility and plant uptake in sludge-amended soils, liming effect, 18
speciation in unbuffered salt solutions, 584
USEPA digestion methods for trace metal analysis, 1294
Corn
effect of corn-soybean-alfalfa rotation on nitrous oxide emission, 698
electromagnetic survey of field with repeated manure applications, 1511
low phytic acid mutant, 299
N and irrigation inputs based on nitrate leaching and yield in coarse-textured soil, 247
nitrate losses from corn-alfalfa rotation, 1027
simulation models for water drainage fluxes, 1376
soluble organic C and carbon dioxide fluxes in fields receiving spring-applied manure, 209
yield, effect of manure and tillage systems, 1396
Cotton clover. *See* Clover, cotton
Cranberry, mineralization of norflurazon in bog during cranberry production, 1234
Crop rotation
N and P in runoff and sediment from wheat-pea rotation, 1170
nitrate losses from corn-alfalfa rotation, 1027
nitrous oxide emission from corn-soybean-alfalfa rotation, 698
Crude oil, phytoremediation potential of alfalfa, 169
Cultivation effect, denitrification in riparian areas of grass cropping systems, 225
Cygnus columbianus (Ord). *See* Swan, tundra
Cynodon dactylon (L.) Pers. *See* Bermudagrass

2,4-D
degradation in grassland soil profile, 1464
pulse-applied, degradation-transport interactions in repacked soil column microcosms, 1472
Dairy cattle
effect on water quality in Catskills Mountains, 1410
protein content of diet, effect on ammonia losses and fertilizer N value of manure, 528
Dairy effluent, effect on P sorption by wetland soils and stream sediments, 438
Dairy farm, nitrate leaching, NLEAP to evaluate contributing factors, 1367
Dairy manure
ammonia losses and fertilizer N value, 528
denitrification from treated soil of forage production system, 1504
effect on P retention capacity of Spodosols, 522
management, application of probabilistic risk assessment, 481
spring-applied, organic C and carbon dioxide fluxes in corn fields, 209
Decomposition
land applied oily food waste, 395
O_3 effect on blackberry and broomsedge bluestem, 953
organic matter in wetland soil, 1268
vegetation in pristine and impounded wetland, Hg and methylmercury, 591
Deethylatrazine
adsorption and desorption by soil components, 46
distribution and variability across Goodwater Creek Watershed, MO, 999
groundwater quality under conventional and no tillage, 877
Degradation
carbaryl in soils, 1318
2,4-D
grassland soil profile, 1464
repacked soil column microcosms, 1472
1,3-dichloropropene in soil, acceleration by organic amendments, 408
sulfonylurea herbicides in soil, 1459
Deisopropylatrazine, distribution and variability across Goodwater Creek Watershed, MO, 999
Denitrification
aquifer, interpreted from in situ microcosm experiments, 174
cultivated and noncultivated riparian areas of grass cropping systems, 225
kinetic isotope effects in production of nitrite-N and N_2, 183
sediment in estuaries of Gulf of Mexico, 859
soils of forage production system fertilized with liquid dairy manure, 1405
Denitrification wall, sawdust-amended, nitrate removal from groundwater, 664
Depleted uranium, effect on soil microbial function and functional diversity, 1306
Depth profiling, contaminant concentrations in aquatic environments, bed sediment sampler, 64
Desert grassland, biosolids effects on tobosagrass and alkali sacaton in Chihuahuan desert, 199
Desert soil, restoring abandoned farmland
seeding native plants, 1209
transplanting native plants, 960
Desorption
atrazine in sludge-amended soils, dissolved organic matter effects, 1348
atrazine, deethylatrazine, and hydroxyatrazine from soil components, 46
Cd in limed topsoils, pH effect, 12
Detrivorous insects, effect of triclopyr ester in aquatic leaf packs, 1138
Dichlorobenzene, dissolution of trapped liquids in sand columns, 38
1,3-Dichloropropene
degradation in soil, acceleration by organic amendments, 408
volatilization from soil, effect of application methods, 432
Dicyandiamide, effect on ammonia volatilization from biosolids, 980
Diet, dairy cattle, protein content effects on manure, 528
Digestion method, USEPA methods for trace metal analysis, 1294
Disposal program, unwanted agricultural pesticides, 736
Dissipation, alachlor in shallow cropland soil, 767
Dissolution, trapped nonaqueous phase liquids in sand columns, 38
Dissolved organic matter
effect on sorption and desorption of atrazine by sludge-amended soils, 1348
transport of napropamide in sludge-amended soil, 1194
Doming, soil, reduction of anion leaching losses, 910
Drainage
controlled, effect on forest water quality, 923
forest outflow in North Carolina, harvest impacts, 1382
P in water from tile-drained soils, 721
P loss from agricultural sources, 277
preferential transport of P in drained grassland soils, 515
simulation models for water fluxes under corn, 1376
Drinking water
nitrates, 477
O_3 treatment, 1
purification, 249, 477
river-bank filtration, 1278
Duckweed, accumulation of trace elements, 715
Dust
mitigation by seeding native plants in abandoned desert farmland, 1209
wind barrier for suppression in arid region, 946
Dynamic simulation model, P dynamics in ecosystems, 293

Earthworm, benefits of worm tunnels, 478
EDTA, electrospray mass spectrometry for analysis of metal-EDTA complexes, 844
Elbe river
effect of humic substances on Hg geochemistry, 1044
Hg speciation in floodplain soils and sediments, 1034
Electrical conductivity, groundwater quality under conventional and no tillage, 869
Electromagnetic survey
cornfield with repeated manure applications, 1511

Electromagnetic survey *(cont.)*
geophysical, applied to agricultural waste sites, 215
Electrospray mass spectrometry, analysis of metal-EDTA complexes, 844
Elements
composition of shrubland forages after biosolids application, 789
quantitation in sugar maple tree rings, 1087
Emissions
carbon dioxide, nitrous oxide, and methane from grass sod and wheat-fallow tillage management, 1094
1,3-dichloropropene from soil
effect of application method, 432
reduction by organic amendments, 408
greenhouse gases from wheat-fallow cropping system after tillage and wetting, 1105
methane from peatland surfaces, 232
nitrous oxide, effects of tillage, corn-soybean-alfalfa rotation, and N fertilization, 698
nitrous oxide and molecular N from irrigated soils of Catalonia (Spain), 687
temperature effect on methyl bromide volatilization, 821, 991
trace gases from Brazilian cerrado soils, 1117
Enterobacter cloacae, reduction of selenite to elemental Se, 1301
Enthalpy, sorption, organic compounds in soil organic matter, 312
Environmental geophysics course, Wright State University, 989
Environmental issues
agricultural nutrient losses to surface water in the Netherlands, 4
agricultural pesticides, state disposal programs, 736
basic research in applied environmental research projects, 742
dairy manure management, application of probabilistic risk assessment, 481
Environmental Protection Agency, U.S.
agricultural P and water quality, 258
digestion methods for trace metal analysis using certified and Florida soils, 1294
Environmental Toxicology and Risk Assessment (symposium), 989
Environmental, health, and safety training, 1
Enzyme, threonine deaminase structure, 1277
Equation solver, 2
Eragrostis curvula (Schrader) Nees. *See* Lovegrass, weeping
Eragrostis tef (Zuccagni) Trotter. *See* Teff, annual
Estuary, Gulf of Mexico, sediment denitrification rates, 859
Ethoprophos, leaching from banana silviculture in Canary Islands, 562
European chlorine industry web site, 733
Eutrophication, agricultural P and, 251, 261
Everglades slough, biogeochemical characteristics, 1439
Extraction method
chromate from surfactant-modified zeolite surfaces, 240
sequential, Pb from thermally treated Pb(III)-doped alumina, 343

Facilitated transport, napropamide by dissolved organic matter in sludge-amended soil, 1194
Fallow, wheat-fallow cropping system
fluxes of carbon dioxide, nitrous oxide, and methane, 1094
greenhouse gas fluxes after tillage and wetting, 1105
Fecal coliforms
survival and infiltration through shallow agricultural soil, 1516
transport through soil blocks amended with poultry manure, 86
Fecal streptococci, survival and infiltration through shallow agricultural soil, 1516
Federal Environmental Agency, INTERNET access, 477
Federal Register, U.S., CD-ROM, 478
Fenamiphos, leaching from banana silviculture in Canary Islands, 562
Fertilizer, N
effect on nitrous oxide emission, 698
value of dairy manure, 528
Fescue, tall
ammonia volatilization from pastures fertilized with broiler litter, 1125
naphthalene adsorption onto roots, 220
Se uptake from soils amended with inorganic and organic materials, 1218
Festuca arundinacea Schreb. *See* Fescue, tall
Field response, soil physical properties to sewage sludge, 534
Flocculant, Ca sulfate for sedimentation basins, 669
Flooding, trace element mobility from Coeur d'Alene River sediments, 318
Floodplain soils
effect of humic substances on Hg geochemistry, 1044
Hg speciation, 1034
Florida
biogeochemical characteristics of Everglades sloughs, 1439
P flux between sediment and overlying water in Lake Okeechobee, 1428
USEPA digestion methods for trace metal analysis in Florida soils, 1294
Flue-gas desulfurization by-product, reducing soil P solubility, 111
Fluidized bed combustion fly ash, reducing soil P solubility, 111
Fly ash, sale of, 989
Folin and Ciocalteu's method, determining soil phenolic C, 776
Food processing, O_3 as sanitizer or disinfectant, 1
Food waste, oily, land applied, decomposition and associated changes in soil aggregate stability, 395
Forage production system, denitrification from soils fertilized with liquid dairy manure, 1504
Forest
riparian
microbial N transformations in groundwater, 156
nitrate removal from groundwater, 146
spatial and temporal variability of P retention in soil, 895
water quality, effects of controlled drainage, 923
Forest outflow, harvest impacts in coastal North Carolina, 1382
Formulation effect, leaching of atrazine and metolachlor, 1334
Fourwing saltbush. *See* Saltbush, fourwing
Fractionation, As in soils contaminated by cattle dip, 348
France, long-term soil redistribution in watershed estimated from ^{137}Cs data, 1178
FT-IR Microscopy class, 733
Fugitive dust
mitigation by seeding native plants in abandoned desert farmland, 1209
wind barrier for suppression in arid region, 946
Furrow irrigation, sediment yields and losses of pesticides and N, 372

Garbage, recycling, 733
Gas sampling wells, 734
Genetics
genetically engineered bacteria, 1277
plant, approaches to P management in agricultural production, 299
Geochemistry, Hg in floodplain soils and sediments, 1044
Geographical information system-based delivery model, prediction of stream pathogen loading from livestock, 935
Geophysical electromagnetic survey methods, applied to agricultural waste sites, 215
Glacial outwash soils, nitrate leaching potential using CERES-Maize model, 75
Glycine max L. *See* Soybean
Goodwater Creek Watershed, MO, herbicide distribution and variability across, 999
Goose, Canada, Pb exposure from Coeur d'Alene River basin sediments, 1533
Grass cropping system, denitrification in cultivated and noncultivated riparian areas, 225
Grass sod, fluxes of carbon dioxide, nitrous oxide, and methane, 1094
Grassland
B, Zn, Fe, and Mn content in grassland plants, 1286
desert, biosolids effects on tobosagrass and alkali sacaton in Chihuahuan desert, 199
Grassland soil
degradation of 2,4-D, 1464
drained, preferential transport of P, 515
tallgrass prairie, soil respiration response to clipping and grazing, 1539
Grazing effect, soil respiration in tallgrass prairie, 1539
Greenhouse evaluation, agronomic and crude oil-phytoremediation potential of alfalfa, 169
Greenhouse gases
fluxes after tillage and wetting in wheat-fallow cropping system, 1105
fluxes from Brazilian cerrado soils, 1117
Grey willow. *See* Willow, grey
Groundwater
ammonium, fate in lake edge wetland, 459

aquifer denitrification as interpreted from in situ microcosm experiments, 174
microbial-mediated perchlorate reduction, 750
nitrate
citrus production region, 904
removal with sawdust-amended denitrification wall, 664
pesticide contamination in North Carolina, 1018
quality under conventional and no tillage
I. Nitrate, electrical conductivity, and pH, 869
II. Atrazine, deethylatrazine, and metolachlor, 877
riparian forest
microbial N transformations, 156
nitrate removal, 146
river-groundwater exchanges, ammonium behavior, 1418
sampling wells, 734
transport of agrichemicals in central Indiana watershed, 884
Growth
pine, effects of carbon dioxide and N, 414
white pine, minesoil and site properties associated with height growth, 192
Gulf of Mexico, sediment denitrification rates in estuaries, 859
Gunnison River Basin, salinity of surface waters, 640

Handle, mechanical advancing, minirhizotron camera registration and image collection, 710
Handling of Environmental and Biological Samples in Chromatography (symposium), 989
Harvest, impact on forest outflow in coastal North Carolina, 1382
Hayfield, N and P losses from field receiving broiler litter, 1246
Hazardous waste sites, biointrusion of protective barriers, 625
HDTMA, sorption by smectitic soils modified with cationic surfactant, 806
Headwater bog, Hg and methylmercury in decomposing vegetation, 591
Health, environmental, health, and safety training, 1
Heavy metals
biosolids-applied, recovery sixteen years after application, 1312
effect on soil microbial community near Zn smelter, 609
Italian soil, effect of sewage sludge and Bordeaux mixture, 828
kriging methods using auxiliary variables in contaminated soils, 355
mobility from flooding and nutrient loading of Coeur d'Alene river sediments, 318
Height growth, white pine, minesoil and site properties associated with, 192
Heinz Award, to Amory B. Lovins, 478
Herbicides
degradation and side effects of sulfonylureas in soil, 1459
distribution and variability across Goodwater Creek Watershed, MO, 999
protection of streams by riparian zones, 479
Hilaria mutica. *See* Tobosagrass
Honey mesquite. *See* Mesquite, honey
Hordeum murinum L. *See* Barley, wall
Humic acid
adsorption and desorption of atrazine, deethylatrazine, and hydroxyatrazine, 46
transformation during composting of municipal solid waste, 794
Humic substances
atrazine interactions with soil compounds of different structure, 1324
effect on Hg geochemistry in floodplain soils and sediments, 1044
Hydraulic conductivity, varying, effect on pesticide transport in irrigated field, 495
Hydrologic controls, P loss from upland agricultural watersheds, 267
Hydroxyatrazine, adsorption and desorption by soil components, 46
Hyphenated Techniques in Chromatography (symposium), 1278

Image collection, minirhizotron, mechanical advancing handle that simplifies, 710
Indian mustard. *See* Mustard, Indian
Indian ricegrass. *See* Ricegrass, Indian
Indiana, transport of agrichemicals to ground and surface water in small watershed, 884
Inductively coupled plasma mass spectrometry, with laser ablation, quantitative analysis of sugar maple tree rings, 1087
Infiltration, fecal bacteria through shallow agricultural soil, timing and tillage effects, 1516
Injection depth, effect on volatilization of 1,3-dichloropropene from soil, 432
Inorganic amendment, seleniferous, Se uptake by plants from amended soils, 1218
Insect(s), detrivorous, effect of triclopyr ester in aquatic leaf packs, 1138
Insecticide, organochlorine, distribution in rivers of Russian Federation, 1356
Inside-outside well, 734
Institute of Environmental Science and Technology web site, 733
INTERNET. *See* World Wide Web
Invertebrates, biointrusion of protective barriers at hazardous waste sites, 625
Ionic strength, effect on P and ^3H transport through undisturbed subsoil, 139
Iron
content in grassland species, 1286
electrospray mass spectrometry of metal-EDTA complexes, 844
microbial reduction in clays, 761
mobility from flooding and nutrient loading of Coeur d'Alene river sediments, 318
runoff from alum-treated poultry litter, 92
zero-valent, remediation of RDX-contaminated water and soil, 1240
Iron oxide, adsorption and desorption of atrazine, deethylatrazine, and hydroxyatrazine, 46
Irrigation
effect of variable water application on pesticide transport, 495
inputs for corn based on nitrate leaching and yield on coarse-textured soil, 247
leaching and preferential flow of clopyralid, 124
nitrous oxide and molecular N fluxes from soils of Catalonia (Spain), 687
reducing P losses with polyacrylamide technology, 305
sediment yields and losses of pesticides and N, 372
Isomeris arborea Nutt. *See* Bladderpod
Isotherms, Cd sorption and desorption in limed topsoils, 12
Isotope effects, kinetic, production of nitrite-N and N_2 gas during denitrification, 183
Isoxaben, runoff water from containerized plant production, quantification and remediation, 814
Italy, heavy metals in soil, effect of sewage sludge and Bordeaux mixture, 828

JEQuick News. *See* Quick News
JG Press web site, 989
Journal of Environmental Quality
becoming a more successful author, vi (Jan.-Feb.), vi (Mar.-Apr.)
editorial board, 471
guide for submitting manuscripts on disk, vi (Sept.-Oct.), vi (Nov.-Dec.)
reviewers, 469
suggestions for contributors, viii (Jan.-Feb.), viii (Mar.-Apr.), iv (May-June), iv (July-Aug.), viii (Sept.-Oct.), viii (Nov.-Dec.)
WordPerfect 5.1 special characters, vii (Nov.-Dec.)

Kinetic isotope effects, production of nitrite-N and N_2 gas during denitrification, 183
Kinetics, dissolved P export from tile-drained agricultural watershed, 917
Kriging methods, using auxiliary variables in heavy-metal contaminated soils, 355

Lactuca sativa. *See* Lettuce
Lake, bed sediment sampler for depth profiling of contaminants, 64
Lake edge wetlands, fate of groundwater ammonium, 459
Lake Okeechobee, FL, P flux between sediment and overlying water, 1428
Lake Tahoe Basin, N in soil core leachate, 755
Land application, oily food waste, waste decomposition and associated changes in soil aggregate stability, 395
Land use
historical changes in Catskills Mountains, effect on water quality, 1410
predicting in-stream nonpoint source nutrient concentrations, 100
tropical Pacific island environment, 119

Landfill, N leaching from unlined cull-onion landfills, 1254
Laser ablation, with ICP-MS, quantitative analysis of sugar maple tree rings, 1087
Leaching
  anion losses, reduction with localized soil compaction and doming, 910
  atrazine, formulation and adjuvant effects, 1334
  Cd in limed topsoils, 12
  clopyralid under irrigation, 124
  inorganic and organic N from Sierra Nevada soil cores, 755
  metolachlor, formulation and adjuvant effects, 1334
  N from sandy soil, decreasing with ammonium-loaded clinoptilolite, 656
  N from unlined cull-onion landfills, 1254
  nitrate
    cattle excreta, soil-climate effects, 992
    corn-alfalfa rotation, lysimeter measurement, 1027
    evaluation of NCSWAP model using data from soil core lysimeters, 390
    glacial outwash soils using CERES-Maize model, 75
    N and irrigation inputs for corn, 247
    NLEAP to evaluate contributing factors from dairy farm, 1367
  pesticides
    stepwise procedure for comparative validation of models, 1183
    used for bananas in Canary Islands, 562
LEACHW model, estimating water drainage fluxes under corn, 1376
Lead
  accumulation
    plants grown on metalliferous wastes, 618
    wetland plants, 715
  alkaline stabilized sludge products, 578
  biosolids-applied, recovery sixteen years after application, 1
  distribution in sludge-amended soils, 1280
  electrospray mass spectrometry of metal-EDTA complexes, 844
  exposure of waterfowl ingesting Coeur d'Alene River basin sediments, 1533
  extractable, soil after years of biosolids application, 801
  mobility from flooding and nutrient loading of Coeur d'Alene river sediments, 318
  sequential extraction from thermally treated Pb(III)-doped alumina, 343
  sorption on soils and mineral surfaces, nonelectrostatic surface complexation model, 24
  speciation in unbuffered salt solutions, 584
  USEPA digestion methods for trace metal analysis, 1294
Lead mine, vegetative growth and trace metal accumulation on metalliferous wastes, 618
Leaf pack, aquatic, triclopyr ester accumulation, 1138
Lemna minor L. *See* Duckweed
Lettuce, Cd phytoavailability in biosolids-amended soils, 1071
Lichen, transplanted, airborne elements, cell membranes, and chlorophyll, 973
Liming
  Cd sorption and desorption in limed topsoils, pH effect, 12
  sludge-amended soils, solubility and plant uptake of metals, 18
Liquid dairy manure, denitrification from treated soil of forage production system, 1504
Litter. *See* Plant litter; Poultry litter
Livestock, stream pathogen loading, prediction using GIS-based delivery model, 935
Loading rates, gravel-bed constructed wetlands, relationship to pollutant removal during maturation, 448
Loblolly pine. *See* Pine, loblolly
Localized soil compaction and doming, reduction of anion leaching losses, 910
Lovegrass, weeping, revegetation on coal fine ash disposal site in South Africa, 1479
Lovins, Amory B., Heinz Award for Environment, 478
Low molecular weight aliphatic acids, composted manures, 557
Lumber, recycled, 1
Lysimeter
  evaluation of localized soil compaction and doming to reduce anion leaching losses, 910
  measurement of nitrate losses from corn-alfalfa rotation, 1027
  soil core, evaluation of NCSWAP model using nitrate-leaching data, 390
MACRO model, estimating water drainage fluxes under corn, 1376
Magnesium, runoff from alum-treated poultry litter, 92
Maize. *See* Corn
Mallard, Pb exposure from Coeur d'Alene River basin sediments, 1533
Management intensive grazing, nitrate leaching from cattle excreta, 992
Management practices
  contributions to nitrate leaching from dairy farm using NLEAP, 1367
  effect on norflurazon mineralization in cranberry bog soil, 1234
Manganese
  content in grassland species, 1286
  mobility from flooding and nutrient loading of Coeur d'Alene river sediments, 318
  USEPA digestion methods for trace metal analysis, 1294
Manhattan College, water pollution control classes, 249
Manure
  acceleration of 1,3-dichloropropene degradation in soil, 408
  composted, low molecular weight aliphatic acid contents, 557
  dairy
    ammonia losses and fertilizer N value, 528
    denitrification from treated soil of forage production system, 1504
    effect on P retention capacity of Spodosols, 522
    management, application of probabilistic risk assessment, 481
  effect on corn yield, runoff, and sediment losses, 1396
  effect on P uptake and runoff losses, 1403
  electromagnetic survey of cornfield with repeated manure applications, 1511
  fecal bacteria survival and infiltration in shallow agricultural soil, 1516
  nitrate leaching from cattle excreta, 992
  poultry, fecal coliform transport through amended soil blocks, 86
  spring-applied, organic C and carbon dioxide fluxes in corn fields, 209
Maple, sugar, tree rings, quantitative analysis using laser ablation with ICP-MS, 1087
Mass balance model, P dynamics in ecosystems, 293
Mass spectrometry
  electrospray, analysis of metal-EDTA complexes, 844
  ICP-MS with laser ablation, quantitative analysis of sugar maple tree rings, 1087
Mechanical advancing handle, minirhizotron camera registration and image collection, 710
Mechanical incorporation, simazine in citrus orchard, effect on herbicide in runoff water, 488
Medicago sativa L. *See* Alfalfa
Mercury
  alkaline stabilized sludge products, 578
  concentrations in soils near former chlor-alkali plant, 31
  decomposing vegetation in pristine and impounded wetland, 591
  geochemistry in floodplain soils and sediments, 1044
  speciation in floodplain soils and sediments along river transect, 1034
  USEPA digestion methods for trace metal analysis, 1294
Mesquite, honey, transplanting to revegetate abandoned farmland in Mojave Desert, 960
Metals
  analysis of metal-EDTA complexes by electrospray mass spectrometry, 844
  runoff from alum-treated poultry litter, 92
  vegetative growth and trace metal accumulation on metalliferous waste, 618
Metam sodium, effect on soil microbial activity and community structure, 54
Methane
  fluxes
    after tillage and wetting in wheat-fallow cropping system, 1105
    Brazilian cerrado soils, 1117
    grass sod, 1094
    peatland surfaces, closed-chamber and Bowen-ratio method, 232
    wheat-fallow tillage management, 1094
  oxidation in soils, interaction with nitrous oxide formation, 679
Methyl bromide, temperature effect on volatilization, permeability of plastic cover films, 821, 991
Methyl isothiocyanate, behavior in repacked soil columns, 1158

Methylmercury, decomposing vegetation in pristine and impounded wetland, 591
Metolachlor
distribution and variability across Goodwater Creek Watershed, MO, 999
groundwater quality under conventional and no tillage, 877
leaching, formulation and adjuvant effects, 1334
transport in irrigated field with variable water application and hydraulic conductivity, 495
Michigan Department of Agriculture web site, 1277
Microcosm, in situ experiments, interpretation of aquifer denitrification, 174
Micronesian Region, land use and soil N status, 119
Microorganisms
groundwater
N transformations in riparian forest, 156
perchlorate reduction, 750
reduction of structural Fe in clays, 761
soil
BIOLOG for analysis of communities in Zn-contaminated soils, 600
decreases in function and functional diversity in response to depleted U, 1306
degradation and side effects of sulfonylurea herbicides, 1459
degradation of 2,4-D in grassland soil, 1464
effect of heavy metal contamination near Zn smelter, 609
effect of metam sodium, 54
organic matter decomposition and nutrient release in wetlands, 1268
oxidation and solubilization of precipitated elemental Se, 836
Microscopy Training course, 733
Mine spoil, sewage sludge and mycorrhizal effects on secar bluebunch wheatgrass, 1228
Mineral surface, Pb sorption, nonelectrostatic surface complexation model, 24
Mineralization
carbaryl in soils, 1318
norflurazon in cranberry bog soil, 1234
2,4,5-T in rhizosphere, effect of planting and soil characteristics, 704
Minesoil
physical properties and their influence on wastewater treatment, 633
properties associated with early height growth of eastern white pine, 192
Mining waste, trace element mobility from flooding and nutrient loading of Coeur d'Alene River sediments, 318
Minirhizotron, mechanical advancing handle that simplifies camera registration and image collection, 710
Minnesota
nitrate leaching potential in glacial outwash soils using CERES-Maize model, 75
simulating climate change effects in agricultural watershed, 1524
Missouri, herbicide distribution and variability across Goodwater Creek Watershed, 999
Mobility, trace elements from flooding and nutrient loading of Coeur d'Alene River sediments, 318
Model
climate change effects in Minnesota agricultural watershed, 1524
dissolved P export from tile-drained agricultural watershed, 917
estimating water drainage fluxes under corn, 1376
GIS-based, prediction of stream pathogen loading from livestock, 935
NCSWAP, evaluation using nitrate-leaching data from soil core lysimeters, 390
nonelectrostatic surface complexation model for Pb sorption on soils and mineral surfaces, 24
P adsorption by water treatment residual, 1055
P dynamics in ecosystems, mass balance and dynamic simulation approaches, 293
pesticide leaching, stepwise procedure for comparative validation, 1183
pesticide transport in irrigated field with variable water application and hydraulic conductivity, 495
Mojave Desert, restoring abandoned farmland
seeding native plants, 1209
transplanting native plants, 960
wind barriers to suppress fugitive dust and soil-derived airborne particles, 946
Moldboard plow, effect on corn yield, runoff, and sediment losses, 1396
Molybdenum
alkaline stabilized sludge products, 578
elemental composition of shrubland forages after biosolids application, 789
extractable, soil after years of biosolids application, 801
USEPA digestion methods for trace metal analysis, 1294
Multimedia and the Web from A to Z (book), 1277
Multipond system, nutrient retention, mechanism for control of nonpoint source pollution, 1009
Municipal solid waste, humic-acid transformation during composting, 794
Munitions
effect of depleted U on soil microbial function and functional diversity, 1306
RDX sorption and fate in soil, 572
remediation of RDX-contaminated water and soil using zero-valent Fe, 1240
Musa balbisiana. *See* Banana
Mustard, Indian, ^{137}Cs accumulation in shoots, 165
Mycorrhizal plant
effect of polyaromatic hydrocarbons on arbuscular mycorrhizal plant, 402
effect of secar bluebunch wheatgrass in mine spoil, 1228

Naphthalene, adsorption onto plant roots, 220
Napropamide, facilitated transport by dissolved organic matter in sludge-amended soil, 1194
National Atmospheric Deposition program, annual meeting, 733
Native plants
seeding to restore desert farmland and mitigate fugitive dust and PM_{10}, 1209
transplantation to revegetate abandoned farmland in Mojave Desert, 960
Natural-gradient transport, Br, atrazine, and alachlor in organic C-rich aquifer, 1200
NCSWAP model
estimating water drainage fluxes under corn, 1376
evaluation using nitrate-leaching data from soil core lysimeters, 390
Netherlands, agricultural nutrient losses to surface water, 4
Nickel
accumulation
wetland plants, 715
plants grown on metalliferous wastes, 618
alkaline stabilized sludge products, 578
biosolids-applied, recovery sixteen years after application, 1
distribution in sludge-amended soils, 1280
extractable, soil after years of biosolids application, 801
phytoavailability in soils, 1064
USEPA digestion methods for trace metal analysis, 1294
Nitrate
drinking water, 477
groundwater
citrus production region, 904
under conventional and no tillage, 869
removal in riparian forest, 146
removal with sawdust-amended denitrification wall, 664
leaching
from cattle excreta, soil-climate effects, 992
from corn-alfalfa rotation, lysimeter measurement, 1027
evaluation of NCSWAP model using data from soil core lysimeters, 390
N and irrigation inputs for corn, 247
NLEAP to evaluate contributing factors from dairy farm, 1367
from unlined cull-onion landfills, 1254
leaching potential in glacial outwash soils using CERES-Maize model, 75
seasonal and spatial patterns in Canajoharie Creek, NY, 381
spatial and temporal variations in contamination of rural aquifer in California, 1147
transport to ground and surface water in central Indiana watershed, 884

Nitric oxide, fluxes from Brazilian cerrado soils, 1117
Nitrite, production in denitrification, kinetic isotope effects, 183
Nitrogen
  effect on growth and N uptake in pine, 414
  Everglades sloughs, 1429
  fertilizer
    effect on nitrous oxide emission, 698
    value of dairy manure, 528
  inorganic and organic, leachate from Sierra Nevada soil cores, 755
  inputs for corn based on nitrate leaching and yield on coarse-textured soil, 247
  leaching
    from sandy soil, decreasing with ammonium-loaded clinoptilolite, 656
    from unlined cull-onion landfills, 1254
  losses
    hayfields receiving broiler litter, 1246
    relation to irrigation method, sediment yields, and pesticide losses, 372
  management practices for orange trees, nutritional status and yield of orange trees and groundwater nitrate, 904
  microbial transformations in groundwater of riparian forest, 156
  N_2 fluxes from irrigated soils of Catalonia (Spain), 687
  plant available, assessment in organic products using airlift bioreactor, 1261
  production of nitrite-N and N_2 gas during denitrification, kinetic isotope effects, 183
  runoff and sediment from wheat-pea rotation, 1170
  soil of tropical Pacific island environment, 119
  uptake in pine, effects of carbon dioxide and N, 414
Nitrous oxide
  emission, effects of tillage, corn-soybean-alfalfa rotations, and N fertilization, 698
  fluxes
    after tillage and wetting in wheat-fallow cropping system, 1105
    Brazilian cerrado soils, 1117
    grass sod, 1094
    irrigated soils of Catalonia (Spain), 687
    wheat-fallow tillage management, 1094
  formation in soils, interaction with methane oxidation, 679
NLEAP, evaluation of nitrate leaching from dairy farm, 1367
Nonaqueous phase liquids, dissolution of trapped liquids in sand columns, 38
Nonelectrostatic surface complexation model, Pb sorption on soils and mineral surfaces, 24
Nonpoint source pollution
  control, nutrient retention by multipond systems, 1009
  in-stream, prediction with land-use proximity and seasonality, 100
Norflurazon, mineralization in cranberry bog soil, 1234
North Carolina
  coastal, harvest impacts on forest outflow, 1382
  pesticides in groundwater, 1018
No-tillage, groundwater quality
  I. Nitrate, electrical conductivity, and pH, 869
  II. Atrazine, deethylatrazine, and metolachlor, 877
Nutrients
  agricultural, losses to surface water in the Netherlands, 4
  in-stream nonpoint source, effects of land use and seasonality, 100
  plant available, assessment in organic products using airlift bioreactor, 1261
  playa wetland receiving wastewater, 67
  release from organic matter in wetland soil, 1268
  retention by multipond systems, control of nonpoint source pollution, 1009
  trace element mobility from Coeur d'Alene River sediments, 318
Nutritional status, orange trees, effect of N management practices, 904

Oily food waste, land applied, decomposition and associated changes in soil aggregate stability, 395
Onion, N leaching from unlined cull-onion landfills, 1254
Optimization, spatial sampling using continuous simulated annealing, 1078
Orange tree, nutritional status and yield, effect of N management practices, 904
Oregon, N and P in runoff and sediment from wheat-pea rotation, 1170
Organic amendments
  acceleration of 1,3-dichloropropene degradation in soil, 408
  seleniferous, Se uptake by plants from amended soils, 1218
Organic carbon
  effect on Cd solubility and phytoavailability in sludge-treated soil, 329
  effect on sulfate reduction in wetland soils, 968
  sediment enrichment mechanisms in Oxisol, 132
  soluble, corn fields receiving spring-applied manure, 209
  transport of Br, atrazine, and alachlor in aquifer, 1200
Organic compounds
  sorption by smectitic soils modified with cationic surfactant, 806
  sorption enthalpy and sorption mechanisms in soil organic matter, 312
Organic matter
  dissolved
    effect on sorption and desorption of atrazine by sludge-amended soils, 1348
    transport of napropamide in sludge-amended soil, 1194
  soil
    decomposition and nutrient release in wetlands, 1268
    interference in Folin and Ciocalteu's method for phenolic C, 776
    organic compound sorption enthalpy and sorption mechanisms, 312
Organic nitrogen, leachate from Sierra Nevada soil cores, 755
Organic waste products, assessment of plant available nutrients using airlift bioreactor, 1261
Organochlorine insecticides, distribution in rivers of Russian Federation, 1356
Orthophosphate, dissolved, biopore mediated subsurface transport, 1130
Oryzopsis hymenoidea (R. & S.) Ricker. *See* Ricegrass, Indian
Oxamyl, leaching from banana silviculture in Canary Islands, 562
Oxidation
  methane in soils, interaction with nitrous oxide formation, 679
  precipitated elemental Se in soil, 836
Oxisol, well-aggregated, sediment enrichment mechanisms of organic C and P, 132
Ozone
  effect on decomposition of blackberry and broomsedge bluestem, 953
  as sanitizer or disinfectant for foods, 1

Pallets, recycled plastic lumber, 1
Paper, recycling, 734
Particle-facilitated transport, prochloraz in sandy loam soil, 1495
Pasture, tall fescue, ammonia volatilization after fertilization with broiler litter, 1125
Patchiness, groundwater in riparian forest
  microbial N transformations, 156
  nitrate removal, 146
Pathogen loading, stream loading from livestock, prediction using GIS-based delivery model, 935
Pea, N and P in runoff and sediment from wheat-pea rotation, 1170
Peatland surface, methane flux, closed-chamber and Bowen-ratio methods, 232
Pennsylvania, nitrate leaching from dairy farm, 1367
Perchlorate, microbial-mediated reduction in groundwater, 750
Persistence, pesticides in alluvial soils
  I. Simazine, 543
  II. Carbofuran, 551
Pesticide
  differences in sorption and transformation between single and multiple-pesticide systems, 1318
  formulation and adjuvant effects on leaching, 1334
  groundwater quality in North Carolina, 1018
  leaching models, stepwise procedure for comparative validation, 1183
  leaching potentials of compounds used for bananas in Canary Islands, 562
  losses of, relation to irrigation method, sediment yields, and N losses, 372
  runoff water from containerized plant production, quantification and remediation, 814

transport and persistence in alluvial soils
I. Simazine, 543
II. Carbofuran, 551
transport in irrigated field with variable water application and hydraulic conductivity, 495
unwanted, state disposal programs, 736
pH
effect on Cd sorption and desorption in limed topsoils, 12
groundwater quality under conventional and no tillage, 869
Phaseolus acutifolius A. Gray. *See* Bean, tepary
Phenolic carbon, soil, Folin and Ciocalteu's method, 776
Phosphorus/phosphate
adsorption by water treatment residual, surface complexation model, 1055
agricultural
eutrophication and, 251, 261
hydrologic controls on P loss from upland watersheds, 267
modeling dynamics by mass balance and dynamic simulation models, 293
P loss in agricultural drainage, 277
plant genetic approaches to management, 299
water quality and, 258
biopore mediated subsurface transport of dissolved orthophosphate, 1130
Everglades sloughs, 1439
export from tile-drained watershed, kinetics and modeling, 917
flux between sediment and overlying water in Lake Okeechobee, FL, 1428
forms and concentration in drainage water of tile-drained soils, 721
losses from hayfields receiving broiler litter, 1246
plant available, assessment in organic products using airlift bioreactor, 1261
preferential transport in drained grassland soils, 515
reducing P losses from surface-irrigated fields, polyacrylamide technology, 305
retention capacity of Spodosols, effect of dairy manure, 522
retention in riparian forest soil, spatial and temporal variability, 895
runoff and sediment from wheat-pea rotation, 1170
runoff losses, interaction between manure and tillage system, 1403
sediment enrichment mechanisms in Oxisol, 132
soil P solubility, reduction with coal combustion by-products, 111
sorption capacity of wetland soils and stream sediments, effect of dairy effluent, 438
transport through undisturbed subsoil, effect of ionic strength, 139
uptake, interaction between manure and tillage system, 1403
Physical properties, soil
field response to sewage sludge, 534
minesoils of West Virginia and their influence on wastewater treatment, 633
Phytic acid, low phytic acid mutant in corn, 299
Phytoaccumulation, trace elements by wetland plants
I. Duckweed, 715
Phytoavailability. *See* Bioavailability
Phytoremediation. *See* Remediation
Pig sludge liquid fraction, fate in calcareous soil, 364
Piggery effluent, treatment with vertical flow reed beds, 783
Pigweed, red root, ^{137}Cs accumulation in shoots, 165
Pine
loblolly
effects of carbon dioxide and N on growth and N uptake, 414
harvest impact on forest outflow in coastal North Carolina, 1382
ponderosa
effects of carbon dioxide and N on growth and N uptake, 414
tree rings as historical monitors of Zn and Cd pollution, 851
white, minesoil and site properties associated with early height growth, 192
Pinus ponderosa Dougl. *See* Pine, ponderosa
Pinus strobus L. *See* Pine, white
Pinus taeda L. *See* Pine, loblolly
Pisum sativum L. *See* Pea
Plant genetics, approaches to P management in agricultural production, 299
Plant litter, O_3 effect on decomposition of blackberry and broomsedge bluestem, 853
Plant uptake
metals from sludge-amended soils with and without liming, 18
N in pine, effects of carbon dioxide and N, 414
P, interaction between manure and tillage system, 1403
Se from soils amended with inorganic and organic materials, 1218
Planting, effect on 2,4,5-T mineralization in rhizosphere, 704
Plastic cover film, temperature effect on methyl bromide volatilization, 821, 991
Playa wetland, nutrients in wetlands receiving wastewater, 67
Pollution indicator, pine tree rings as historical monitors, 851
Polyacrylamide technology, reducing P losses from surface-irrigated fields, 305
Polycyclic aromatic hydrocarbons
effect on arbuscular mycorrhizal plants, 402
naphthalene adsorption onto roots, 220
Ponderosa pine. *See* Pine, ponderosa
Poultry litter
alum-treated, metal runoff, 92
ammonia volatilization from fertilized tall fescue, 1125
N and P losses from hayfields receiving fresh and composted litter, 1246
Poultry manure, fecal coliform transport through amended soil blocks, 86
Prairie, tallgrass, responses of soil respiration to clipping and grazing, 1539
Preferential transport
Br tracer applied in pulse of ponded water, 505
clopyralid under irrigation, 124
fecal coliforms through soil blocks amended with poultry litter, 86
P in drained grassland soils, 515
Primisulfuron, degradation and side effects in soil, 1459
Probabilistic Risk Assessment, application to dairy manure management, 481
Prochloraz, particle-facilitated transport in sandy loam soil, 1495
Prosopis glandulosa Torrey. *See* Mesquite, honey
Protective barrier, biointrusion at hazardous waste sites, 625
Protein content, dairy cattle diet, effect on ammonia losses and fertilizer N value of manure, 528
Pseudoroegneria spicata (Pursh) A. Love × *Elymus lanceolatus*. *See* Wheatgrass, secar bluebunch

Quantification, pesticides in runoff water from containerized plant production, 814
Quantitative analysis, sugar maple tree rings using laser ablation with ICP-MS, 1087
Quick News
AAAS, 150th anniversary, 477
ASTM training courses, 477
benefits of worm tunnels, 478
biomass irrigation and effluent reuse, 734
calendar, 2, 249, 479, 734, 990, 1278
CIETP evaluation of sludge cost reduction technologies, 478
climate warming 2000 years ago, 1278
Compost Truth or Consequences (video), 1278
drinking water treatment, 477, 1278
environmental geophysics course, 989
environmental miner cleans up, 249
Environmental Toxicology and Risk Assessment (symposium), 989
environmental, health, and safety training, 1
equation solver, 2
federal environmental agency gets wired, 477
Federal Register on CD-ROM, 478
fly ash for sale, 989
genetically engineered bacteria, 1277
Handling of Environmental and Biological Samples in Chromatography (symposium), 989
Heinz Award for Environment, 478
honorable side of O_3, 1
Hyphenated Techniques in Chromatography (symposium), 1278
inside-outside well, 734
managing solid waste, 990
microscope training class, 733
National Atmospheric Deposition Program meeting, 733
RCRA schedule for 1998, 478

Quick News *(cont.)*
recycled lumber is alternative to wood, steel, 1
riparian zones protect stream water, 479
short courses, 249
threonine deaminase structure, 1277
treating wastewater naturally, 1
U.S. recycles 30 percent of its garbage, 733
Water Environment Federation, 478
water pollution control classes, 249
web information in handy book, 1277
web sites, 733, 989, 1277

Rabbitbrush, rubber, transplanting to revegetate abandoned farmland in Mojave Desert, 960
Radioactive waste, phytoremediation of ^{137}Cs-contaminated soil, 165
Rangelend, biosolids application to shrubland forages, 789
Raupo, groundwater ammonium removal in lake edge wetland, 459
RCRA seminar program, 478
RDX
long-term sorption and fate in soil, 572
remediation of contaminated soil and water using zero-valent Fe, 1240
Recycling
biomass irrigation and effluent reuse, 734
garbage, 733
Red root pigweed. *See* Pigweed, red root
Reduction
perchlorate in groundwater, 750
selenite to elemental Se by *Enterobacter cloacae*, 1301
structural Fe in clays by microorganisms, 761
sulfate in wetland soils, effect of sulfate and substrate loading, 968
Reed bed, vertical flow, treatment of piggery effluent, 783
Remediation
crude oil-contaminated soils by alfalfa, 169
heavy metal contaminated soil near Zn smelter, response of microbial community, 609
pesticides in runoff water from containerized plant production, 814
radiocesium-contaminated soil, ^{137}Cs accumulation in shoots of plants, 165
RDX-contaminated soil and water using zero-valent Fe, 1240
Research chains, basic research in applied environmental research projects, 742
Respiration, soil, response to clipping and grazing in tallgrass prairie, 1539
Retention
nutrients by multipond systems, 1009
P in riparian forest soil, 895
Revegetation
abandoned agricultural land in Mojave Desert
seeding native plants, 1209
transplantation of native plants, 960
coal fine ash disposal site in South Africa, 1479
metalliferous wastes, 618
Rhizosphere
effect of polyaromatic hydrocarbons on arbuscular mycorrhizal plants, 402
mineralization of 2,4,5-T, effect of planting and soil characteristics, 704
Ricegrass, Indian
biomass and elemental composition after biosolids application, 789
seeding native plants to restore abandoned desert farmland, 1209
Ridge tillage, effect on corn yield, runoff, and sediment losses, 1396
Rimsulfuron, degradation and side effects in soil, 1459
Riparian zone
denitrification in cultivated and noncultivated soil of grass cropping systems, 225
groundwater in forest
microbial N transformations, 156
nitrate removal, 146
Hg and methylmercury in decomposing vegetation, 591
protection of streams from herbicide runoff, 479
spatial and temporal variability in P retention in forest soil, 895
Risk assessment, probabilistic, application to dairy manure management, 481
River
bed sediment sampler for depth profiling of contaminants, 64
effect of humic substances on Hg geochemistry, 1044
Hg speciation in floodplain soils and sediments, 1034
river-groundwater exchanges, ammonium behavior, 1418
Russian, distribution of organochlorine insecticides, 1356
River-bank filtration, 1278
Rocket propellant, microbial-mediated reduction of perchlorate in groundwater, 750
Root
effect of polyaromatic hydrocarbons on arbuscular mycorrhizal plants, 402
naphthalene adsorption, 220
Rubber rabbitbrush. *See* Rabbitbrush, rubber
Rubus cuneifolus Pursh. *See* Blackberry
Runoff
effect of manure and tillage systems, 1396
metals from alum-treated poultry litter, 92
N and P from wheat-pea rotation in Oregon, 1170
P losses, interaction between manure and tillage system, 1403
pesticides from containerized plant production, 814
simazine from citrus orchard middle rows, effect of mechanical incorporation, 488
Rural aquifer, California, spatial and temporal variation in nitrate contamination, 1147
Russian Federation, distribution of organochlorine insecticides in rivers, 1356

Safety, environmental, health, and safety training, 1
Salinity, surface waters of Upper Colorado River Basin, 640
Sallix cinerea. *See* Willow, grey
Salt solution, unbuffered, trace metal speciation used to assess bioavailability in soil, 584
Saltbush
allscale, transplanting to revegetate abandoned farmland in Mojave Desert, 960
fourwing
seeding native plants to restore abandoned desert farmland, 1209
transplanting to revegetate abandoned desert farmland, 960
Saltville Waste Disposal Site, Hg concentrations in soils, 31
Sampling
bed sediment sampler, depth profiling of contaminant concentrations in aquatic environments, 64
spatial, constrained optimization using continuous simulated annealing, 1078
Sand column, dissolution of trapped nonaqueous phase liquids, 38
Sandy loam soil, particle-facilitated transport of prochloraz, 1495
Sandy soil, N leaching, decreasing with ammonium-loaded clinoptilolite, 656
Sawdust-amended denitrification wall, nitrate removal from groundwater, 664
Seasonality
nitrate and silica concentrations in Canajoharie Creek, NY, 381
predicting in-stream nonpoint source nutrient concentrations, 100
Secar bluebunch wheatgrass. *See* Wheatgrass, secar bluebunch
Sediment
bed sediment sampler, depth profiling of contaminant concentrations in aquatic environments, 64
Coeur d'Alene River
Pb exposure of waterfowl, 1533
trace element mobility from flooding and nutrient loading, 318
denitrification rates in estuaries of Gulf of Mexico, 859
enrichment mechanisms of organic C and P in Oxisol, 132
losses, effect of manure and tillage systems, 1396
N and P from wheat-pea rotation in Oregon, 1170
P flux between sediment and overlying water in Lake Okeechobee, FL, 1428
P sorption capacities of stream sediments, effect of dairy effluents, 438
relation of sediment yields to irrigation method and losses of pesticides and N, 372
river
effect of humic substances on Hg geochemistry, 1044
Hg speciation, 1034

soft-bottom, estimation of bulk density, 243
wind-driven transport in arid regions, 946
Sedimentation basin, Ca sulfate as chemical flocculant, 669
SEDMOD model, prediction of stream pathogen loading from livestock, 935
Seine River, river-groundwater exchanges, bank filtration, and groundwater quality, ammonium behavior, 1418
Selenite, reduction to elemental Se by *Enterobacter cloacae*, 1301
Selenium
accumulation by wetland plants, 715
precipitated elemental Se in soil, microbial oxidation and solubilization, 836
reduction of selenite by *Enterobacter cloacae*, 1301
uptake by plants from soils amended with inorganic and organic materials, 1218
USEPA digestion methods for trace metal analysis, 1294
Sequential extraction, Pb from thermally treated Pb(III)-doped alumina, 343
Sewage sludge. *See* also Biosolids; Sludge-amended soil
alkaline stabilized, bioavailability of Cu and Zn in treated soils, 335
effect on secar bluebunch wheatgrass in mine spoil, 1228
field response of soil physical properties, 534
heavy metal balance in treated Italian soil, 828
repeated applications, distribution of trace elements in soil, 1280
Shallow soils
agricultural, fecal bacteria survival and infiltration, 1516
alachlor dissipation in cropland, 767
Shoot, ^{137}Cs accumulation in pigweed, mustard, and bean, 165
Shrubland forage, biosolids application, plant biomass and elemental changes, 789
SI units, conversion factors, iv (Jan.-Feb.), iv (Mar.-Apr.), iv (Sept.-Oct.), iv (Nov.-Dec.)
Side effects, sulfonylurea herbicides in soil, 1459
Sierra Nevada, inorganic and organic N in soil core leachate, 755
Sierra Pelona watershed, CA, spatial and temporal variation in nitrate contamination, 1147
Silica, seasonal and spatial patterns in Canajoharie Creek, NY, 381
Silver
alkaline stabilized sludge products, 578
USEPA digestion methods for trace metal analysis, 1294
Simazine
runoff water from citrus orchard row middles, effect of mechanical incorporation, 488
transport and persistence in alluvial soils, 543
Simulation model
climate change effects in Minnesota agricultural watershed, 1524
estimating water drainage fluxes under corn, 1376
leaching and preferential flow of clopyralid under irrigation, 124
Site properties, associated with early height growth of eastern white pine, 192
SLIM model, estimating water drainage fluxes under corn, 1376
Slough, Everglades, biogeochemical characteristics, 1439
Sludge
alkaline stabilized products, soluble trace metals in, 578
reducing disposal costs, 478
Sludge-amended soil. *See* also Sewage sludge
Cd solubility and phytoavailability, effects of soil organic C, 329
facilitated transport of napropamide by dissolved organic matter, 1194
liming effect on solubility and plant uptake of metals, 18
sorption and desorption of atrazine, dissolved organic matter effects, 1348
Smectitic soil, with cationic surfactant, sorption of organic contaminants, 806
Soft brome. *See* Brome, soft
Soft-bottom sediment core, estimating bulk density, 243
Soil column
biodegradation-transport interactions of pulse applied 2,4-D, 1472
repacked, behavior of methyl isothiocyanate, 1158
Soil compaction and doming, reduction of anion leaching losses, 910
Soil core, Sierra Nevada, inorganic and organic N in leachate, 755
Soil core lysimeter, evaluation of NCSWAP model using nitrate-leaching data, 390
Soil heterogeneity, causing preferential transport of Br tracer, 505
SOIL model, estimating water drainage fluxes under corn, 1376
Soil properties
associated with early height growth of eastern white pine, 192
contributions to nitrate leaching from dairy farm using NLEAP, 1367
effect on 2,4,5-T mineralization in rhizosphere, 704
effect on nitrate leaching from cattle excreta, 992
field response to sewage sludge, 534
minesoils of West Virginia and their influence on wastewater treatment, 633
tropical Pacific island, 119
Soil redistribution, long-term in French watershed, estimation from ^{137}Cs data, 1178
Soil solution, effect of Cl on Cd availability to Swiss chard, 426
Soil surface, Pb sorption, nonelectrostatic surface complexation model, 24
Soil test
Folin and Ciocalteu's method for phenolic C, 776
phytoavailability of Ni, 1064
USEPA digestion methods for trace metal analysis, 1294
Solid waste management, 990
Solubility
Cd in sludge-treated soils, effects of soil organic C, 329
metals in sludge-amended soils with and without liming, 18
soil P, reduction with coal combustion by-products, 111
Solubilization
precipitated elemental Se in soil, 836
U from contaminated soil, effect of acidification and chelating agents, 1486
Sorption/adsorption
atrazine in sludge-amended soils, dissolved organic matter effects, 1348
atrazine, deethylatrazine, and hydroxyatrazine by soil components, 46
carbaryl in soils, 1318
Cd in limed topsoils, pH effect, 12
naphthalene onto plant roots, 220
organic compounds in soil organic matter, 312
organic contaminants by smectitic soils modified with cationic surfactant, 806
P by water treatment residual, surface complexation model, 1055
P on wetland soils and stream sediments, effect of dairy effluent, 438
Pb on soils and mineral surfaces, nonelectrostatic surface complexation model, 24
RDX in soil, 572
South Africa, revegetation on coal fine ash disposal site, 1479
Soybean, effect of corn-soybean-alfalfa rotation on nitrous oxide emission, 698
Spain, nitrous oxide and molecular N fluxes from irrigated soils, 687
Spatial sampling, constrained optimization using continuous simulated annealing, 1078
Spatial variation
heavy-metal contaminated soils, kriging methods using auxiliary variables, 355
herbicides across Goodwater Creek Watershed, MO, 999
nitrate and silica concentrations in Canajoharie Creek, NY, 381
nitrate contamination of rural aquifer in California, 1147
P flux between sediment and overlying water in Lake Okeechobee, FL, 1428
P retention in riparian forest soil, 895
Speciation
Hg in floodplain soils and sediments along river transect, 1034
trace metals in unbuffered salt solutions, assessing their bioavailability in soil, 584
Spodosol, P retention capacity, effect of dairy manure, 522
Sporobolus aeroides. *See* Alkali sacaton
Sprinkler irrigation, sediment yields and losses of pesticides and N, 372
Steelworks, vegetative growth and trace metal accumulation on metalliferous wastes, 618
Stream
nonpoint source nutrient prediction with land-use proximity and seasonality, 100
P sorption capacity of sediments, effect of dairy effluent, 438
pathogen loading from livestock, prediction using GIS-based delivery model, 935

Stream *(cont.)*
protection from herbicide runoff by riparian zones, 479
Subsoil
degradation of 2,4-D, 1464
P and ^3H transport, effect of ionic strength, 139
Substrate loading, effect on sulfate reduction in wetland soils, 968
Subsurface transport, biopore mediated transport of dissolved orthophosphate, 1130
Sugar maple. *See* Maple, sugar
Sulfate, reduction in wetland soils, effect of sulfate and substrate loading, 968
Sulfonylurea herbicides, degradation and side effects in soil, 1459
Surface complexation model
P adsorption by water treatment residual, 1055
Pb sorption on soils and mineral surfaces, 24
Surface irrigation, reducing P losses with polyacrylamide technology, 305
Surface waters
nutrient loads from agricultural activities in the Netherlands, 4
salinity of waters of Upper Colorado River Basin, 640
transport of agrichemicals in central Indiana watershed, 884
Surfactant, cationic, sorption of organic contaminants by modified smectitic soils, 806
Surfactant-modified zeolite, chromate extraction from surfaces, 240
Survey methods, electromagnetic
agricultural waste sites, 215
cornfield with repeated manure applications, 1511
Swan, tundra, Pb exposure from Coeur d'Alene River basin sediments, 1533
SWAT model, climate change effects in Minnesota agricultural watershed, 1524
Swiss chard, Cd availability, effect of soil solution Cl, 426

2,4,5-T, mineralization in rhizosphere, effect of planting and soil characteristics, 704
Tall fescue. *See* Fescue, tall
Tallgrass prairie, response of soil respiration to clipping and grazing, 1539
Teff, annual, revegetation on coal fine ash disposal site in South Africa, 1479
Temperature effect, methyl bromide volatilization, permeability of plastic cover films, 821, 991
Temporal variation
herbicides across Goodwater Creek Watershed, MO, 999
nitrate contamination of rural aquifer in California, 1147
P flux between sediment and overlying water in Lake Okeechobee, FL, 1428
P retention in riparian forest soil, 895
Tepary bean. *See* Bean, tepary
Texture, soil, N and irrigation inputs for corn, 247
Thiophanate-methyl, runoff water from containerized plant production, quantification and remediation, 814
Threonine deaminase, structure, 1277
Tile drainage
dissolved P export from agricultural watershed, kinetics and modeling, 917
form and concentration of P in drainage water, 721
Tillage effect
alachlor dissipation in shallow cropland soil, 767
carbon dioxide, nitrous oxide, and methane emissions from soil, 1094
corn yield, runoff, and sediment losses, 1396
fecal bacteria survival and infiltration in shallow soil, 1516
greenhouse gas fluxes in wheat-fallow cropping system, 1105
groundwater quality
I. Nitrate, electrical conductivity, and pH, 869
II. Atrazine, deethylatrazine, and metolachlor, 877
nitrous oxide emission from soil, 698
P uptake and runoff losses, 1403
Timing effect, fecal bacterial survival and infiltration in shallow agricultural soil, 1516
Tin, USEPA digestion methods for trace metal analysis, 1294
Tobosagrass, biosolids effects in Chihuahuan desert grassland, 199
Topsoil, limed, Cd sorption and desorption, 12

Trace elements
accumulation in plants grown on metalliferous wastes, 618
distribution in soil after repeated sewage sludge applications, 1280
extractable, soil after years of biosolids application, 801
mobility from flooding and nutrient loading of Coeur d'Alene River sediments, 318
phytoaccumulation by wetland plants
I. Duckweed, 715
removal by constructed wetlands, 1
soil tests, USEPA digestion methods, 1294
soluble, alkaline stabilized sludge products, 578
speciation in unbuffered salt solutions, assessing their bioavailability in soil, 584
transplanted lichens, 973
Trace gases, fluxes from Brazilian cerrado soils, 1117
Tracer, anion leaching losses, reduction with localized soil compaction and doming, 910
Transformation, humic acid during composting of municipal solid waste, 794
Transplantation
lichens for air pollution monitoring, 973
native plants to revegetate abandoned farmland in Mojave Desert, 960
Transport
agrichemicals to ground and surface water in central Indiana watershed, 884
alachlor in shallow cropland soil, 767
biopore mediated subsurface transport of dissolved orthophosphate, 1130
Br tracer applied in pulse of ponded water, 505
Br, atrazine, and alachlor in organic C-rich aquifer, 1200
2,4-D in repacked soil column microcosms, 1472
dissolved P from agricultural watershed, kinetics and modeling, 917
fecal coliforms through soil blocks amended with poultry manure, 86
napropamide by dissolved organic matter in sludge-amended soil, 1194
P and ^3H through undisturbed subsoil, effect of ionic strength, 139
P in drained grassland soils, 515
particle-facilitated, prochloraz in sandy loam soil, 1495
pesticides in alluvial soils
I. Simazine, 543
II. Carbofuran, 551
pesticides in irrigated field with variable water application and hydraulic conductivity, 495
viruses in surface water constructed wetlands, 1451
Tree rings
ponderosa pine, historical monitors of Zn and Cd pollution, 851
sugar maple, quantitative analysis using laser ablation with ICP-MS, 1087
Triasulfuron, degradation and side effects in soil, 1459
Triclopyr ester, accumulation in aquatic leaf packs and effects on detrivorous insects, 1138
Trifluralin, runoff water from containerized plant production, quantification and remediation, 814
Trifolium glomeratum L. *See* Clover, clustered
Trifolium tomentosum L. *See* Clover, cotton
Triticum aestivum L. *See* Wheat
Tritium, transport through undisturbed subsoil, effect of ionic strength, 139
Tropical soils
land use and soil N status on Pacific island, 119
trace gas fluxes from Brazilian cerrado soils, 1117
Tundra swan. *See* Swan, tundra
Typha orientalis. *See* Raupo

Upland watershed, agricultural, hydrologic controls on P loss, 267
Upper Colorado River Basin, salinity of surface waters, 640
Uranium
depleted, effect on soil microbial function and functional diversity, 1306
solubilization from contaminated soil, effect of acidification and chelating agents, 1486

Vaccinium macrocarpon Ait. *See* Cranberry
Validation, pesticide leaching models, 1183

Vegetated waterways, reducing pesticides in runoff water from containerized plant production, 814
Vegetation
biointrusion of protective barriers at hazardous waste sites, 625
effect on 2,4,5-T mineralization in rhizosphere, 704
Hg and methylmercury in decomposing vegetation in pristine and impounded wetland, 591
on metalliferous wastes, 618
Vertical flow reed bed, treatment of dilute piggery effluent, 783
Virus, fate and transport through surface water constructed wetlands, 1451
Volatilization
ammonia
from biosolids by addition of dicyandiamide, 980
from tall fescue pastures fertilized with broiler litter, 1125
1,3-dichloropropene from soil, effect of application method, 432
temperature effect on methyl bromide, permeability of plastic cover films, 821, 991

Wall barley. *See* Barley, wall
Waste disposal
Hg concentration near former chlor-alkali plant, 31
state programs for unwanted pesticides, 736
Waste products, organic, assessment of plant available nutrients using airlift bioreactor, 1261
Waste site
agricultural, geophysical electromagnetic survey methods, 215
biointrusion of protective barriers, 625
Wastewater, nutrients in playa wetlands receiving wastewater, 67
Wastewater treatment, effect of physical properties of minesoils in West Virginia, 633
Water Environment Federation, 478
web site, 733
Water management, effect on volatilization of 1,3-dichloropropene from soil, 432
Water purification, 249
Water quality
agricultural P and, 258
Catskills Mountains, effects of changes in land use and dairy herds, 1410
classes in pollution control, 249
effect of bank filtration, 1418
forest, effect of controlled drainage, 923
Water treatment residual, P adsorption, surface complexation model, 1055
Waterfowl, Pb exposure of birds ingesting Coeur d'Alene River basin sediments, 1533
Watershed
agricultural tile-drained, dissolved P export, 917
central Indiana, transport of agrichemicals to ground and surface water, 884
herbicide distribution and variability across Goodwater Creek Watershed, MO, 999
long term soil redistribution estimated from ^{137}Cs data, 1178
northern agricultural, simulating climate change effects, 1524
upland agricultural, hydrologic controls on P loss, 267
Weather, contributions to nitrate leaching from dairy farm using NLEAP, 1367
Weeping lovegrass. *See* Lovegrass, weeping
West Virginia, physical properties of minesoils and their influence on wastewater treatment, 633
Western wheatgrass. *See* Wheatgrass, western
Wetlands
constructed
fate and transport of viruses, 1451
loading rates and pollutant removal during maturation, 448
treatment of metal-bearing leachate from ash management facility, 1
Hg and methylmercury in decomposing vegetation, 591
lake edge, fate of groundwater ammonium, 459
organic matter decomposition and nutrient release in soil, 1268
P sorption capacities of soils, effect of dairy effluent, 438
phytoaccumulation of trace elements by plants
I. Duckweed, 715
playa, nutrients in wetlands receiving wastewater, 67
sulfate reduction in soils, effect of sulfate and substrate loading, 968
Wetting effect, greenhouse gas fluxes in wheat-fallow cropping system, 1105
Wheat
fluxes of carbon dioxide, nitrous oxide, and methane in wheat-fallow tillage management, 1094
greenhouse gas fluxes after tillage and wetting in wheat-fallow cropping system, 1105
N and P in runoff and sediment from wheat-pea rotation, 1170
Wheatgrass
bluebunch, biomass and elemental composition after biosolids application, 789
secar bluebunch, sewage sludge and mycorrhizal effects in mine spoil, 1228
western, biomass and elemental composition after biosolids application, 789
White pine. *See* Pine, white
Willow, grey, groundwater ammonium removal in lake edge wetland, 459
Wind barrier, suppression of fugitive dust and soil-derived airborne particles in arid regions, 946
WordPerfect 5.1 special characters, vii (Nov.-Dec.)
World Wide Web
Federal Environmental Agency information, 477
Multimedia and the Web from A to Z, 1277
web sites, 733, 989, 1277
Wright State University, environmental geophysics course, 989

Xylene, dissolution of trapped liquids in sand columns, 38

Yale University web site, 733
Yield
corn
effect of manure and tillage systems, 1396
N and irrigation inputs, 247
orange trees, effect of N management practices, 904

Zea mays L. *See* Corn
Zeolite, surface-modified, chromate extraction from surfaces, 240
Zero-valent iron, remediation of RDX-contaminated water and soil, 1240
Zinc
accumulation in plants grown on metalliferous wastes, 618
alkaline stabilized sludge products, 578
bioavailability in soils treated with alkaline stabilized sewage sludges, 335
biosolids-applied, recovery sixteen years after application, 1
content in grassland species, 1286
distribution in sludge-amended soils, 1280
effect of sewage sludge and Bordeaux mixture in Italian soil, 828
extractable, soil after years of biosolids application, 801
microbial communities from contaminated soils, analysis with BIOLOG, 600
mobility from flooding and nutrient loading of Coeur d'Alene river sediments, 318
ponderosa pine tree rings as historical monitors of pollution, 851
runoff from alum-treated poultry litter, 92
solubility and plant uptake in sludge-amended soils, liming effect, 18
speciation in unbuffered salt solutions, 584
USEPA digestion methods for trace metal analysis, 1294
Zinc smelter, heavy metal contamination of nearby soil, effect on soil microbial community, 609